D-MAX

RHD Specifications

THERE'S WORK TO DO

ISUZU

With you, for the long run

INDEX

SINGLE CAB	*250 LEED STANDARD 4X2 M/T* *250 LEED STANDARD 4X2 M/T (1)* *250 LEED FLEETSIDE 4X2 M/T* *250 LEED FLEETSIDE 4X2 M/T (1)* *250 HO STANDARD 4X4 M/T* *250 HO FLEETSIDE 4X2 M/T*	PAGES 6 – 11
	250 HO FLEETSIDE 4X2 M/T (1) *250 HO FLEETSIDE SAFETY 4X2 M/T* *250 HO HI–RIDE 4X4 M/T* *250 HO LE 4X2 M/T* *300 LX 4X2 M/T* *300 LX 4X2 M/T (1)*	PAGES 12 – 19
EXTENDED CAB	*250 HO HI–RIDE 4X2 M/T* *250 HO HI–RIDE 4X2 A/T* *300 LX 4X2 M/T* *300 LX 4X2 M/T (1)* *300 LX 4X2 A/T* *300 LX 4X2 A/T (1)* *300 LX 4X4 M/T* *300 LX 4X4 M/T (1)*	PAGES 22 – 29
DOUBLE CAB	*250 HO STANDARD 4X4 M/T* *250 HO STANDARD 4X4 M/T (1)* *250 HO MID (AIRBAG) 4X4 M/T* *250 HO STANDARD 4X2 M/T (1)* *250 HO HI–RIDE 4X2 M/T* *250 HO HI–RIDE 4X2 A/T* *250 HO HI–RIDE 4X4 M/T*	PAGES 32 – 39
	250 HO X–RIDER 4X2 M/T *250 HO X–RIDER 4X2 M/T (1)* *250 HO X–RIDER 4X2 A/T* *250 HO X–RIDER 4X2 A/T (1)* *250 HO X–RIDER 4X4 M/T* *250 HO X–RIDER 4X4 M/T (1)* *250 HO LE 4X2 A/T*	PAGES 40 – 47
	300 HI–RIDE 4X2 A/T *300 LS 4X4 M/T* *300 LS 4X4 M/T (1)* *300 LS 4X4 A/T* *300 LS 4X4 A/T (1)*	PAGES 48 – 55
	300 LX 4X2 M/T *300 LX 4X2 M/T (1)* *300 LX 4X2 A/T* *300 LX 4X2 A/T (1)* *300 LX 4X4 M/T* *300 LX 4X4 M/T (1)* *300 LX 4X4 A/T* *300 LX 4X4 A/T (1)*	PAGES 56 – 63

(1) Model available in 3rd quarter of 2020

Single Cab Specifications

THERE'S WORK TO DO

ISUZU

With you, for the long run

D-MAX	250 LEED STANDARD	250 LEED STANDARD (1)
SINGLE CAB	**4X2 M/T**	**4X2 M/T**
ENGINE		
Displacement (cc)	2 499	2 499
No. of Cylinders	4	4
Compression Ratio	18.5:1	18.5:1
Bore X Stroke (mm)	93 X 92	93 X 92
No. of Valves	8	8
Power @ r/min (kW)	58 @ 3 900	58 @ 3 900
Torque @ r/min (Nm)	176 @ 1 800	176 @ 1 800
Turbocharger	Standard	Standard
Intercooler	–	–
FUEL CONSUMPTION		
Combined Cycle (l/100 km)	7.9	TBD
Combined CO_2 Emissions (g/km)	208	TBD
Fuel Type	Diesel	Diesel
TRANSMISSION		
Transmission Type	5-Speed Manual	5-Speed Manual
Gear Ratio: 1st	4.357	4.357
Gear Ratio: 2nd	2.502	2.502
Gear Ratio: 3rd	1.501	1.501
Gear Ratio: 4th	1.000	1.000
Gear Ratio: 5th	0.809	0.809
Gear Ratio: Reverse	3.97	3.97
4WD Selector Switch	–	–
Low Range Ratio	–	–
FRONT DIFFERENTIAL		
Shift on the Fly up to 100 km/h	–	–
Axle Ratio: Final Drive	–	–
REAR DIFFERENTIAL		
Differential Lock	Optional	Optional
Axle Ratio: Final Drive	4.555	4.555
CHASSIS DESIGN		
Front Wheel Suspension	Coil Over Shock	Coil Over Shock
Rear Wheel Suspension	Leaf-Spring Underslung	Leaf-Spring Underslung
Shock Absorbers	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)
Suspension	Low-Ride	Low-Ride
Skid Plate Guard	Standard	Standard
Engine Sump Guard	–	–
WHEELS / TYRES		
Tyre Size	215 / 70 R16C	215 / 70 R16C
Wheel Size / Type	16" X 6.5J-41 Steel	16" X 6.5J-41 Steel
Spare Wheel	16" X 6.5J-41 Steel	16" X 6.5J-41 Steel
Turning Circle: Curb-to-Curb (m)	12.2	12.2
DIMENSIONS		
Length (mm)	5 218	5 218
Width (mm)	1 860	1 860
Height (mm)	1 690	1 690
Wheelbase (mm)	3 095	3 095
Front / Rear Track (mm)	1 510 / 1 510	1 510 / 1 510
Rear Overhang (mm)	1 225	1 225
Ground Clearance (mm)	200	200
Loadbox Length (mm)	2 305	2 305

250 LEED FLEETSIDE	250 LEED FLEETSIDE [1]	250 HO STANDARD	250 HO FLEETSIDE
4X2 M/T	**4X2 M/T**	**4X4 M/T**	**4X2 M/T**
2 499	2 499	2 499	2 499
4	4	4	4
18.5:1	18.5:1	18.1:1	18.1:1
93 X 92	93 X 92	95.4 X 87.4	95.4 X 87.4
8	8	16	16
58 @ 3 900	58 @ 3 900	100 @ 3 400	100 @ 3 400
176 @ 1 800	176 @ 1 800	320 @ 1 800 – 2 800	320 @ 1 800 – 2 800
Standard	Standard	Standard	Standard
–	–	Standard	Standard
7.9	TBD	–	7.6
208	TBD	–	199
Diesel	Diesel	Diesel	Diesel
5-Speed Manual	5-Speed Manual	5-Speed Manual	5-Speed Manual
4.357	4.357	4.008	4.008
2.502	2.502	2.301	2.301
1.501	1.501	1.427	1.427
1.000	1.000	1.000	1.000
0.809	0.809	0.744	0.744
3.97	3.97	3.651	3.651
–	–	Standard	–
–	–	2.482	–
–	–	Standard	–
–	–	4.1	–
Optional	Optional	Standard	Optional
4.555	4.555	4.1	4.1
Coil Over Shock	Coil Over Shock	Coil Over Shock	Coil Over Shock
Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung
Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)
High-Ride	High-Ride	High-Ride	High-Ride
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
205 R16C	205 R16C	245 / 70 R16 AT	205 R16C
16" X 6.5J-33 Steel	16" X 6.5J-33 Steel	16" X 7.0J Alloy	16" X 6.5J-33 Steel
16" X 6.5J-33 Steel	16" X 6.5J-33 Steel	16" X 6.5J Steel	16" X 6.5J-33 Steel
12.8	12.8	12.8	12.8
5 218	5 218	5 314	5 218
1 860	1 860	1 860	1 860
1 790	1 790	1 790	1 790
3 095	3 095	3 095	3 095
1 570 / 1 570	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570
1 225	1 225	1 321	1 225
225	225	225	225
2 305	2 305	2 305	2 305

SINGLE CAB	250 LEED STANDARD 4X2 M/T	250 LEED STANDARD [1] 4X2 M/T
DIMENSIONS		
Loadbox Width (mm)	1 535	1 535
Loadbox Depth (mm)	445	445
Approach Angle (°)	21.0	21.0
Departure Angle (°)	17.2	17.2
Breakover Angle (°)	17.6	17.6
Wading Depth (mm)	400	400
MASS / CAPACITIES		
Gross Axle Mass – Front (GA1) (kg)	1 250	1 250
Gross Axle Mass – Rear (GA2) (kg)	1 870	1 870
Gross Vehicle Mass (GVM) (kg)	2 850	2 850
Gross Combined Mass (GCM) (kg)	4 450	4 450
Tare Mass (kg)	1 610	TBD
Payload (kg)	1 181	TBD
Towing Capacity (kg): Unbraked Trailer	750	750
Towing Capacity (kg): Braked Trailer	1 600	1 600
Fuel Tank Capacity (Litres)	80	80
LOADBOX FEATURES		
Load Restraint Tiedown Brackets	4	4
Rope Hooks on Loadbox Side	Standard	Standard
SAFETY FEATURES		
Load-Sensing Proportioning Valve (LSPV)	Standard	Standard
Anti-Lock Braking System (ABS)	–	–
Electronic Brake-Force Distribution (EBD)	–	–
Brake-Assist System (BAS)	–	–
Height-Adjustable 3-Point Seatbelts	Standard	Standard
Front Seat Centre Lapbelt (2-Point)	Standard	Standard
Seatbelt Pre-Tensioners	–	–
Seatbelt Reminder	Driver	Driver
Driver & Passenger Airbags	–	Standard
Side-Impact Protection Bars	Standard	Standard
Collapsible Steering Column	Standard	Standard
Warning Triangle Kit	Standard	Standard
SECURITY FEATURES		
Manual Door Locks	Standard	Standard
Anti-Theft Alarm System	Alarm Ready	Alarm Ready
Transponder Immobiliser System	Standard	Standard
INTERIOR / EXTERIOR LIGHTING		
Interior Courtesy Lamps	Standard	Standard
Fog Lights	–	–
Headlights	Halogen	Halogen
Headlight 'ON' Warning Buzzer	Standard	Standard
Side Indicator Lights on Doors	Standard	Standard
Rear Taillights – Combination	Bulb	Bulb
High-Mounted Centre Stoplight	Standard	Standard
EXTERIOR FEATURES		
Wipers	Intermittent	Intermittent
Radiator Grille – Colour	Grey	Grey
Front Bumper – Colour	Black	Black
Front Fog Lamp Bezels	–	–
Rear Bumper – Colour	–	–
Exterior Door Handles – Colour	Black	Black

250 LEED FLEETSIDE	250 LEED FLEETSIDE [1]	250 HO STANDARD	250 HO FLEETSIDE
4X2 M/T	**4X2 M/T**	**4X4 M/T**	**4X2 M/T**
1 535	1 535	1 535	1 535
445	445	445	445
30.0	30.0	30.0	30.0
22.4	22.4	22.4	22.4
22.4	22.4	22.4	22.4
600	600	600	600
1 350	1 350	1 350	1 350
1 870	1 870	1 870	1 870
2 850	2 850	2 950	3 000
4 450	4 450	4 950	5 000
1 655	TBD	1 810	1 695
1 136	TBD	1 081	1 246
750	750	–	750
1 600	1 600	–	2 100
80	80	80	80
4	4	4	4
Standard	Standard	Standard	Standard
Standard	Standard	–	Standard
–	–	Standard	–
–	–	Standard	–
–	–	Standard	–
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
–	–	Standard	–
Driver	Driver	Driver	Driver
–	Standard	Standard	–
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Alarm Ready	Alarm Ready	–	Alarm Ready
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
–	–	Standard	–
Halogen	Halogen	Halogen	Halogen
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Bulb	Bulb	Bulb	Bulb
Standard	Standard	Standard	Standard
Intermittent	Intermittent	Intermittent	Intermittent
Grey	Grey	Grey	Grey
Black	Black	Body Colour	Black
–	–	Black	–
–	–	Black	–
Black	Black	Black	Black

SINGLE CAB	250 LEED STANDARD 4X2 M/T	250 LEED STANDARD [1] 4X2 M/T
EXTERIOR FEATURES		
Exterior Mirrors	Black – Manual Adjustment	Black – Manual Adjustment
Sportbar	–	–
Mudflaps	Front & Rear	Front & Rear
Tailgate Handle	Body Colour	Body Colour
INTERIOR FEATURES		
Power-Assisted Steering (PAS)	Hydraulic	Hydraulic
Air-Conditioner	–	–
Pollen Filter	–	–
Inside Rear-View Mirror	Day / Night	Day / Night
Sunvisor	Driver and Passenger	Driver and Passenger
Digital Clock	Standard	Standard
Dashboard Illumination Control	Standard	Standard
Auxiliary 12-V Power Socket	1	1
Cigarette Lighter without Illumination	Standard	Standard
Lockable Glove Box	Standard	Standard
Utility Box on Glove Box	Standard	Standard
Steering Column Adjustment	Tilt	Tilt
Steering Wheel Trim	Urethane	Urethane
Gearshift Trim	Standard	Standard
Front Seat Configuration	60:40-Split Bench Cushion	60:40-Split Bench Cushion
Seat Trim	Canvas	Canvas
Seat Adjustment	Driver – 4-Way Manual Adjustment	Driver – 4-Way Manual Adjustment
Door Trim with Storage Pockets and Integrated Cupholders	Standard	Standard
Interior Door Handles – Colour	Black	Black
Interior Trim Colours	Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower
A-Pillar Assist Grip – Driver & Passenger	–	–
Roof-Mounted Assist Grips	Passenger	Passenger
Floor Trim	Vinyl with Heel Mats (x 2)	Vinyl with Heel Mats (x 2)
Driver Footrest	Standard	Standard
Window Operation	Manual – Front	Manual – Front
Rear Window	Fixed without Defogger	Fixed without Defogger
Fuelflap Remote	Standard	Standard
INFOTAINMENT		
Audio System	Optional	Optional
Speakers	Optional (x 2)	Optional (x 2)
Antenna	–	–
OPTIONS		
Differential Lock	Available	Available
16" Alloy Wheels & 205 R16C Tyres (AT)	–	–
16" Alloy Wheels & 245 / 70 R16C Tyres (AT)	–	–
Front Bumper – Body Colour	Available	Available
Sliding Rear Window	Available	Available
AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming & Hands-Free Phone	Available	Available
Speakers	2	2
Antenna, Roof GPS	Available	Available
Metallic Paint	Available	Available
WARRANTY & SERVICE INTERVALS		
Warranty	3 Years / 100 000 km	3 Years / 100 000 km
Anti-Corrosion Warranty	3 Years / Unlimited km	3 Years / Unlimited km
Service Intervals	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km

250 LEED FLEETSIDE	250 LEED FLEETSIDE [1]	250 HO STANDARD	250 HO FLEETSIDE
4X2 M/T	**4X2 M/T**	**4X4 M/T**	**4X2 M/T**
Black – Manual Adjustment	Black – Manual Adjustment	Black – Manual Adjustment	Black – Manual Adjustment
–	–	Optional	–
Front & Rear	Front & Rear	Front & Rear	Front & Rear
Body Colour	Body Colour	Body Colour	Body Colour
Hydraulic	Hydraulic	Hydraulic	Hydraulic
Manual	Manual	Manual	Manual
Standard	Standard	Standard	Standard
Day / Night	Day / Night	Day / Night	Day / Night
Driver and Passenger	Driver and Passenger	Driver and Passenger, Driver with Ticketholder	Driver and Passenger
Standard	Standard	Standard	Standard
Standard	Standard	–	Standard
1	1	1	1
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Tilt	Tilt	–	Tilt
Urethane	Urethane	Urethane	Urethane
Standard	Standard	Standard	Standard
60:40-Split Bench Cushion	60:40-Split Bench Cushion	60:40-Split Bench Cushion	60:40-Split Bench Cushion
Canvas	Canvas	Canvas	Canvas
Driver – 4-Way Manual Adjustment	Driver – 4-Way Manual Adjustment	Driver – 4-Way Manual Adjustment	Driver – 4-Way Manual Adjustment
Standard	Standard	Standard	Standard
Black	Black	Black	Black
Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower
Standard	Standard	Standard	Standard
Passenger	Passenger	Passenger	Passenger
Vinyl with Heel Mats (x 2)	Vinyl with Heel Mats (x 2)	Vinyl with Heel Mats (x 2)	Vinyl with Heel Mats (x 2)
Standard	Standard	Standard	Standard
Manual – Front	Manual – Front	Manual – Front	Manual – Front
Fixed without Defogger	Fixed without Defogger	Fixed without Defogger	Fixed without Defogger
Standard	Standard	Standard	Standard
Optional	Optional	Optional	Optional
Optional (x 2)	Optional (x 2)	2	Optional (x 2)
–	–	Standard	–
Available	Available	–	Available
Available	Available	–	–
–	–	–	Available
Available	Available	–	Available
Available	Available	Available	Available
Available	Available	Available	Available
2	2	–	2
Available	Available	–	Available
Available	Available	Available	Available
3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km
3 Years / Unlimited km	3 Years / Unlimited km	3 Years / Unlimited km	3 Years / Unlimited km
5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km

SINGLE CAB	250 HO FLEETSIDE [1] 4X2 M/T	250 HO FLEETSIDE SAFETY 4X2 M/T
ENGINE		
Displacement (cc)	2 499	2 499
No. of Cylinders	4	4
Compression Ratio	18.1:1	18.1:1
Bore X Stroke (mm)	95.4 X 87.4	95.4 X 87.4
No. of Valves	16	16
Power @ r/min (kW)	100 @ 3 400	100 @ 3 400
Torque @ r/min (Nm)	320 @ 1 800 – 2 800	320 @ 1 800 – 2 800
Turbocharger	Standard	Standard
Intercooler	Standard	Standard
FUEL CONSUMPTION		
Combined Cycle (l/100 km)	TBD	7.6
Combined CO_2 Emissions (g/km)	TBD	199
Fuel Type	Diesel	Diesel
TRANSMISSION		
Transmission Type	5-Speed Manual	5-Speed Manual
Gear Ratio: 1st	4.008	4.008
Gear Ratio: 2nd	2.301	2.301
Gear Ratio: 3rd	1.427	1.427
Gear Ratio: 4th	1.000	1.000
Gear Ratio: 5th	0.744	0.744
Gear Ratio: 6th	–	–
Gear Ratio: Reverse	3.651	3.651
4WD Selector Switch	–	–
Low Range Ratio	–	–
FRONT DIFFERENTIAL		
Shift on the Fly up to 100 km/h	–	–
Axle Ratio: Final Drive	–	–
REAR DIFFERENTIAL		
Differential Lock	Optional	Optional
Axle Ratio: Final Drive	4.1	4.1
CHASSIS DESIGN		
Front Wheel Suspension	Coil Over Shock	Coil Over Shock
Rear Wheel Suspension	Leaf-Spring Overslung	Leaf-Spring Overslung
Shock Absorbers	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)
Suspension	High-Ride	High-Ride
Skid Plate Guard	Standard	Standard
Engine Sump Guard	Standard	Standard
Transfer Case Guard	–	–
WHEELS / TYRES		
Tyre Size	205 R16C	245 / 70 R16C
Wheel Size / Type	16" X 6.5J-33 Steel	16" X 6.5J-33 Steel
Spare Wheel	16" X 6.5J-33 Steel	16" X 6.5J-33 Steel
Turning Circle: Curb-to-Curb (m)	12.8	12.8
DIMENSIONS		
Length (mm)	5 218	5 218

250 HO HI–RIDE	250 HO LE	300 LX	300 LX [1]
4X4 M/T	**4X2 M/T**	**4X2 M/T**	**4X2 M/T**
2 499	2 499	2 999	2 999
4	4	4	4
18.1:1	18.1:1	17.3:1	17.3:1
95.4 X 87.4	95.4 X 87.4	95.4 X 104.9	95.4 X 104.9
16	16	16	16
100 @ 3 400	100 @ 3 400	130 @ 3 600	130 @ 3 600
320 @ 1 800 – 2 800	320 @ 1 800 – 2 800	380 @ 1 800 – 2 800	380 @ 1 800 – 2 800
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
8.2	7.6	7.7	TBD
217	199	203	TBD
Diesel	Diesel	Diesel	Diesel
5-Speed Manual	5-Speed Manual	6-Speed Manual	6-Speed Manual
4.008	4.008	4.942	4.942
2.301	2.301	2.43	2.43
1.427	1.427	1.428	1.428
1.000	1.000	1.000	1.000
0.744	0.744	0.749	0.749
–	–	0.634	0.634
3.651	3.651	4.597	4.597
Standard	–	–	–
2.482	–	–	–
Standard	–	–	–
4.1	–	–	–
Standard	Standard	Standard	Standard
4.1	4.1	3.727	3.727
Coil Over Shock	Coil Over Shock	Coil Over Shock	Coil Over Shock
Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung
Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)
High-Ride	High-Ride	High-Ride	High-Ride
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	–	–	–
245 / 70 R16	245 / 70 R16C	255 / 60 R18 AT	255 / 60R18 AT
16" X 6.5J-33 Steel	16" X 7.0J-33 Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy
16" X 6.5J-33 Steel	16" X 6.5J-33 Steel	18" X 7.5J Alloy	18" X 7.5J Alloy
12.8	12.8	12.8	12.8
5 314	5 314	5 314	5 314

SINGLE CAB	250 HO FLEETSIDE [1] 4X2 M/T	250 HO FLEETSIDE SAFETY 4X2 M/T
DIMENSIONS		
Width (mm)	1 860	1 860
Height (mm)	1 790	1 790
Wheelbase (mm)	3 095	3 095
Front / Rear Track (mm)	1 570 / 1 570	1 570 / 1 570
Rear Overhang (mm)	1 225	1 225
Ground Clearance (mm)	225	225
Loadbox Length (mm)	2 305	2 305
Loadbox Width (mm)	1 535	1 535
Loadbox Depth (mm)	445	445
Approach Angle (°)	30.0	30.0
Departure Angle (°)	22.4	22.4
Breakover Angle (°)	22.4	22.4
Wading Depth (mm)	600	600
MASS / CAPACITIES		
Gross Axle Mass – Front (GA1) (kg)	1 350	1 350
Gross Axle Mass – Rear (GA2) (kg)	1 870	1 870
Gross Vehicle Mass (GVM) (kg)	3 000	3 000
Gross Combined Mass (GCM) (kg)	5 000	5 000
Tare Mass (kg)	TBD	1 710
Payload (kg)	TBD	1 231
Towing Capacity (kg): Unbraked Trailer	750	750
Towing Capacity (kg): Braked Trailer	2 100	2 100
Fuel Tank Capacity (Litres)	80	80
LOADBOX FEATURES		
Load Restraint Tiedown Brackets	4	4
Rope Hooks on Loadbox Side	Standard	Standard
SAFETY FEATURES		
Load-Sensing Proportioning Valve (LSPV)	Standard	–
Anti-Lock Braking System (ABS)	–	Standard
Electronic Brake-Force Distribution (EBD)	–	Standard
Brake-Assist System (BAS)	–	Standard
Electronic Stability Control (ESC) with Traction Control	–	Standard
Hill-Start Assist (HSA)	–	Standard
Hill Descent Control (HDC)	–	Standard
Trailer Sway Control	–	–
Brake Override System (BOS)	–	–
Height-Adjustable 3-Point Seatbelts	Standard	Standard
Front Seat Centre Lapbelt (2-Point)	Standard	Standard
Seatbelt Pre-Tensioners	–	Standard
Seatbelt Reminder	Driver	Driver
Driver & Passenger Airbags	Standard	Standard
Side-Impact Protection Bars	Standard	Standard
Collapsible Steering Column	Standard	Standard
Speed-Sensitive Door Lock	–	–
Park Distance Control (PDC)	–	–
Warning Triangle Kit	Standard	Standard

250 HO HI-RIDE	250 HO LE	300 LX	300 LX [1]
4X4 M/T	**4X2 M/T**	**4X2 M/T**	**4X2 M/T**
1 860	1 860	1 860	1 860
1 790	1 790	1 790	1 790
3 095	3 095	3 095	3 095
1 570 / 1 570	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570
1 321	1 321	1 321	1 321
225	225	220	220
2 305	2 305	2 305	2 305
1 535	1 535	1 535	1 535
445	445	445	445
30.0	30.0	30.0	30.0
22.4	22.4	22.4	22.4
22.4	22.4	22.4	22.4
600	600	600	600
1 350	1 350	1 350	1 350
1 870	1 870	1 870	1 870
3 000	3 000	3 100	3 100
5 000	5 000	6 000	6 000
1 835	1 735	1 810	TBD
1 106	1 206	1 231	TBD
750	750	750	750
2 100	2 100	3 500	3 500
80	80	80	80
4	4	4	4
Standard	Standard	Standard	Standard
–	–	–	–
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
–	–	Standard	Standard
–	–	Standard	Standard
Standard	Standard	Standard	Standard
–	–	–	–
Standard	Standard	Standard	Standard
Driver	Driver	Driver	Driver
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
–	Standard	Standard	Standard
–	–	Rear	Rear
Standard	Standard	Standard	Standard

SINGLE CAB	250 HO FLEETSIDE [1] 4X2 M/T	250 HO FLEETSIDE SAFETY 4X2 M/T
SECURITY FEATURES		
Manual Door Locks	Standard	Standard
Remote-Controlled Central Locking	–	–
Remote Keyless Entry	–	–
Anti-Theft Alarm System	Alarm Ready	Alarm Ready
Ultrasonic Alarm System	–	–
Transponder Immobiliser System	Standard	Standard
INTERIOR / EXTERIOR LIGHTING		
Interior Courtesy Lamps	Standard	Standard
Illuminated Entry	–	–
Fog Lights	–	–
Daytime Running Lights (DRL)	–	–
Headlights	Halogen	Halogen
Headlight 'ON' Warning Buzzer	Standard	Standard
Side Indicator Lights on Doors	Standard	Standard
Rear Taillights – Combination	Bulb	Bulb
High-Mounted Centre Stoplight	Standard	Standard
EXTERIOR FEATURES		
Wipers	Intermittent	Intermittent
Radiator Grille – Colour	Grey	Grey
Front Bumper – Colour	Black	Black
Front Fog Lamp Bezels	–	–
Rear Bumper – Colour	–	–
Towbar	–	–
Exterior Door Handles – Colour	Black	Black
Exterior Mirrors	Black – Manual Adjustment	Black – Manual Adjustment
Side-Steps	–	–
Mudflaps	Front & Rear	Front & Rear
Tailgate Handle	Body Colour	Body Colour
INTERIOR FEATURES		
Power-Assisted Steering (PAS)	Hydraulic	Hydraulic
Air-Conditioner	Manual	Manual
Pollen Filter	Standard	Standard
Inside Rear-View Mirror	Day / Night	Day / Night
Sunvisor	Driver and Passenger	Driver and Passenger
Digital Clock	Standard	Standard
Cruise Control	–	–
Multi-Information Display (MID)	–	–
Dashboard Illumination Control	Standard	Standard
Auxiliary 12-V Power Socket	1	1
Cigarette Lighter without Illumination	Standard	Standard
Lockable Glove Box	Standard	Standard
Utility Box on Glove Box	Standard	Standard
Steering Column Adjustment	Tilt	Tilt

250 HO HI–RIDE	250 HO LE	300 LX	300 LX [1]
4X4 M/T	**4X2 M/T**	**4X2 M/T**	**4X2 M/T**
–	–	–	–
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
–	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
–	Standard	Standard	Standard
–	–	LED	LED
Halogen	Halogen	Projector	Projector
Standard	Standard	Standard	Standard
Standard	–	–	–
Bulb	Bulb	LED	LED
Standard	Standard	Standard	Standard
Intermittent	Intermittent	Variable Intermittent	Variable Intermittent
Grey	Anthracite	Chrome	Chrome
Body Colour	Body Colour	Body Colour	Body Colour
–	Chrome	Chrome	Chrome
Black	Black	Chrome	Chrome
Optional (2.1 T)	Optional (2.1 T)	Optional (3.5 T)	Optional (3.5 T)
Black	Body Colour	Chrome	Chrome
Black – Power Adjustment	Body Colour – Power Adjustment, Side Indicator, Driver Side Aspherical	Chrome – Power Adjustment and Folding, Side Indicator, Driver Side Aspherical	Chrome – Power Adjustment and Folding, Side Indicator, Driver Side Aspherical
–	–	Standard – Black	Standard – Black
Front & Rear	Front & Rear	Front & Rear	Front & Rear
Body Colour	Body Colour	Body Colour	Body Colour
Hydraulic	Hydraulic	Hydraulic	Hydraulic
Manual	Manual	Manual	Manual
Standard	Standard	Standard	Standard
Day / Night	Day / Night	Day / Night	Day / Night
Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror
Standard	–	–	–
–	–	Standard	Standard
–	–	Standard	Standard
Standard	Standard	Standard	Standard
1	1	1	1
Standard	–	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard with Soft-Touch Finish and Gloss Black Garnish Trim	Standard with Soft-Touch Finish and Gloss Black Garnish Trim
Tilt	Tilt	Tilt	Tilt

SINGLE CAB	250 HO FLEETSIDE (1) 4X2 M/T	250 HO FLEETSIDE SAFETY 4X2 M/T
INTERIOR FEATURES		
Steering Wheel Trim	Urethane	Urethane
Steering Wheel Multi-Function Controls	–	–
Gearshift Trim	Standard	Standard
Front Seat Configuration	60:40-Split Bench Cushion	60:40-Split Bench Cushion
Seat Trim	Canvas	Canvas
Seat Adjustment	Driver – 4-Way Manual Adjustment	Driver – 4-Way Manual Adjustment
Door Trim with Storage Pockets and Integrated Cupholders	Standard	Standard
Interior Door Handles – Colour	Black	Black
Interior Trim Colours	Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower
A-Pillar Assist Grip – Driver & Passenger	Standard	Standard
Roof-Mounted Assist Grips	Passenger	Passenger
Floor Trim	Vinyl with Heel Mats (x 2)	Vinyl with Heel Mats (x 2)
Floor Tunnel / Console with Integrated Cupholder	–	–
Centre Console Storage Box with Lid	–	–
Driver Footrest	Standard	Standard
Window Operation	Manual – Front	Manual – Front
Rear Window	Fixed without Defogger	Fixed without Defogger
Fuelflap Remote	Standard	Standard
INFOTAINMENT		
Audio System	Optional	Optional
Audio Input Terminal: Auxiliary, iPod	–	–
USB Port (Music Playback and Device Link)	–	–
USB Charge Ports	–	–
Speakers	Optional (x 2)	Optional (x 2)
Antenna	–	–
OPTIONS		
Differential Lock	Available	Available
16" Alloy Wheels & 245 / 70 R16C Tyres (AT)	Available	Available
18" Silver Diamond-Cut Alloy Wheels & 255 / 60 R18 Tyres (AT)	–	–
Front Bumper – Body Colour	Available	Available
Sliding Rear Window	Available	Available
Fixed Rear Window without Defogger	–	–
Black Partial Leather Seats with Driver 6-Way Manual Adjustment	–	–
AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming & Hands-Free Phone	Available	Available
AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone,	–	–
Speakers	2	2
Antenna, Roof GPS	Available	Available
Metallic Paint	Available	Available
WARRANTY & SERVICE INTERVALS		
Warranty	3 Years / 100 000 km	3 Years / 100 000 km
Anti-Corrosion Warranty	3 Years / Unlimited km	3 Years / Unlimited km
Service Intervals	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km

250 HO HI–RIDE	250 HO LE	300 LX	300 LX [1]
4X4 M/T	**4X2 M/T**	**4X2 M/T**	**4X2 M/T**
Urethane	Partial Leather	Partial Leather	Partial Leather
–	Audio	Audio & Auto Cruise	Audio & Auto Cruise
Urethane	Urethane	Urethane with Silver Garnish Trim	Urethane with Silver Garnish Trim
Bucket Seats (x 2)	Bucket Seats (x 2)	Bucket Seats (x 2)	Bucket Seats (x 2)
Cloth	Cloth	Cloth	Cloth
Driver – 6-Way Manual Adjustment	Driver – 6-Way Manual Adjustment	Driver – 6-Way Manual Adjustment	Driver – 6-Way Manual Adjustment
Standard	Standard	Standard	Standard
Black	Black	Black	Black
Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower	Dark Grey Upper / Dark Grey Lower
Standard	Standard	Standard	Standard
Passenger	Passenger	Passenger	Passenger
Vinyl with Heel Mats (x 2)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)
Standard	Standard	Standard	Standard
Standard	Standard	Standard with Soft-Touch Finish	Standard with Soft-Touch Finish
Standard	Standard	Standard	Standard
Power – Front with Driver One Touch, Jam Protection	Power – Front with Driver One Touch, Jam Protection & Timer	Power – Front with Driver One Touch, Jam Protection & Timer	Power – Front with Driver One Touch, Jam Protection & Timer
Fixed without Defogger	Sliding	Sliding	Sliding
Standard	Standard	Standard	Standard
AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone
Standard	Standard	Standard	Standard
–	Front	Front	Front
–	–	Front	Front
2	4	4	4
Standard	Standard	Standard	Standard
–	–	–	–
Available	–	–	–
Available	Available	–	–
–	–	–	–
Available	–	–	–
–	Available	Available	Available
Available	Available	Available	Available
–	–	–	–
Available	–	–	–
4	–	–	–
–	–	–	–
Available	Available	Available	Available
3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km
3 Years / Unlimited km	3 Years / Unlimited km	3 Years / Unlimited km	3 Years / Unlimited km
5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km



Extended Cab Specifications

THERE'S WORK TO DO

ISUZU

With you, for the long run

D-MAX	250 HO HI–RIDE	250 HO HI–RIDE	300 LX
EXTENDED CAB	**4X2 M/T**	**4X2 A/T**	**4X2 M/T**
ENGINE			
Displacement (cc)	2 499	2 499	2 999
No. of Cylinders	4	4	4
Compression Ratio	18.1:1	18.1:1	17.3:1
Bore X Stroke (mm)	95.4 X 87.4	95.4 X 87.4	95.4 X 104.9
No. of Valves	16	16	16
Power @ r/min (kW)	100 @ 3 400	100 @ 3 400	130 @ 3 600
Torque @ r/min (Nm)	320 @ 1 800 – 2 800	320 @ 1 800 – 2 800	380 @ 1 800 – 2 800
Turbocharger	Standard	Standard	Standard
Intercooler	Standard	Standard	Standard
FUEL CONSUMPTION			
Combined Cycle (l/100 km)	7.6	8.1	7.7
Combined CO_2 Emissions (g/km)	199	214	203
Fuel Type	Diesel	Diesel	Diesel
TRANSMISSION			
Transmission Type	5-Speed Manual	5-Speed Automatic	6-Speed Manual
Gear Ratio: 1st	4.008	3.520	4.942
Gear Ratio: 2nd	2.301	2.042	2.430
Gear Ratio: 3rd	1.427	1.400	1.428
Gear Ratio: 4th	1.000	1.000	1.000
Gear Ratio: 5th	0.744	0.716	0.749
Gear Ratio: 6th	–	–	0.634
Gear Ratio: Reverse	3.651	3.224	4.597
4WD Selector Switch	–	–	–
Low Range Ratio	–	–	–
FRONT DIFFERENTIAL			
Shift on the Fly up to 100 km/h	–	–	–
Axle Ratio: Final Drive	–	–	–
REAR DIFFERENTIAL			
Differential Lock	Optional	Optional	Standard
Axle Ratio: Final Drive	4.100	4.100	3.727
CHASSIS DESIGN			
Front Wheel Suspension	Coil Over Shock	Coil Over Shock	Coil Over Shock
Rear Wheel Suspension	Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung
Shock Absorbers	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)
Suspension	High-Ride	High-Ride	High-Ride
Skid Plate Guard	Standard	Standard	Standard
Engine Sump Guard	Standard	Standard	Standard
Transfer Case Guard	–	–	–
WHEELS / TYRES			
Tyre Size	245 / 70 R16	245 / 70 R16	255 / 60 R18
Wheel Size / Type	16" X 6.5J Steel	16" X 6.5J Steel	18" X 7.5J Alloy
Spare Wheel	16" X 6.5J Steel	16" X 6.5J Steel	18" X 7.5J Alloy
Turning Circle: Curb-to-Curb (m)	12.8	12.8	12.8
DIMENSIONS			
Length (mm)	5 294	5 294	5 294
Width (mm)	1 860	1 860	1 860
Height (mm)	1 790	1 790	1 790

300 LX [1]	300 LX	300 LX [1]	300 LX	300 LX [1]
4X2 M/T	**4X2 A/T**	**4X2 A/T**	**4X4 M/T**	**4X4 M/T**
2 999	2 999	2 999	2 999	2 999
4	4	4	4	4
17.3:1	17.3:1	17.3:1	17.3:1	17.3:1
95.4 X 104.9	95.4 X 104.9	95.4 X 104.9	95.4 X 104.9	95.4 X 104.9
16	16	16	16	16
130 @ 3 600	130 @ 3 600	130 @ 3 600	130 @ 3 600	130 @ 3 600
380 @ 1 800 – 2 800	380 @ 1 800 – 2 800	380 @ 1 800 – 2 800	380 @ 1 800 – 2 800	380 @ 1 800 – 2 800
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
TBD	7.5	TBD	8.0	TBD
TBD	198	TBD	211	TBD
Diesel	Diesel	Diesel	Diesel	Diesel
6-Speed Manual	6-Speed Automatic	6-Speed Automatic	6-Speed Manual	6-Speed Manual
4.942	3.600	3.600	4.942	4.942
2.430	2.090	2.090	2.430	2.430
1.428	1.488	1.488	1.428	1.428
1.000	1.000	1.000	1.000	1.000
0.749	0.678	0.678	0.749	0.749
0.634	0.580	0.580	0.634	0.634
4.597	3.732	3.732	4.597	4.597
–	–	–	Standard	Standard
–	–	–	2.482	2.482
–	–	–	Standard	Standard
–	–	–	3.727	3.727
Standard	Standard	Standard	Standard	Standard
3.727	3.727	3.727	3.727	3.727
Coil Over Shock	Coil Over Shock	Coil Over Shock	Coil Over Shock	Coil Over Shock
Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung
Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)
High-Ride	High-Ride	High-Ride	High-Ride	High-Ride
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
–	–	–	Standard	Standard
255 / 60 R18	255 / 60 R18	255 / 60 R18	255 / 60 R18	255 / 60 R18
18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy
18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy
12.8	12.8	12.8	12.8	12.8
5 294	5 294	5 294	5 294	5 294
1 860	1 860	1 860	1 860	1 860
1 790	1 790	1 790	1 790	1 790

D-MAX	250 HO HI-RIDE	250 HO HI-RIDE	300 LX
EXTENDED CAB	**4X2 M/T**	**4X2 A/T**	**4X2 M/T**
DIMENSIONS			
Wheelbase (mm)	3 095	3 095	3 095
Front / Rear Track (mm)	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570
Rear Overhang (mm)	1 301	1 301	1 301
Ground Clearance (mm)	225	225	220
Loadbox Length (mm)	1 795	1 795	1 795
Loadbox Width (mm)	1 535	1 535	1 535
Loadbox Depth (mm)	470	470	470
Approach Angle (°)	30.0	30.0	30.0
Departure Angle (°)	22.7	22.7	22.7
Breakover Angle (°)	22.4	22.4	22.4
Wading Depth (mm)	600	600	600
MASS / CAPACITIES			
Gross Axle Mass – Front (GA1) (kg)	1 350	1 350	1 350
Gross Axle Mass – Rear (GA2) (kg)	1 870	1 870	1 870
Gross Vehicle Mass (GVM) (kg)	3 000	3 000	3 100
Gross Combined Mass (GCM) (kg)	5 000	5 000	6 000
Tare Mass (kg)	1 790	1 820	1 875
Payload (kg)	1 151	1 121	1 166
Towing Capacity (kg): Unbraked Trailer	750	750	750
Towing Capacity (kg): Braked Trailer	2 100	2 100	3 500
Fuel Tank Capacity (Litres)	80	80	80
LOADBOX FEATURES			
Load Restraint Tiedown Brackets	4	4	4
SAFETY FEATURES			
Anti-Lock Braking System (ABS)	Standard	Standard	Standard
Electronic Brake-Force Distribution (EBD)	Standard	Standard	Standard
Brake-Assist System (BAS)	Standard	Standard	Standard
Electronic Stability Control (ESC) with Traction Control	Standard	Standard	Standard
Hill-Start Assist (HSA)	Standard	Standard	Standard
Hill Descent Control (HDC)	Standard	Standard	Standard
Trailer Sway Control	–	–	Standard
Brake Override System (BOS)	–	–	Standard
Height-Adjustable 3-Point Seatbelts	Standard	Standard	Standard
Seatbelt Pre-Tensioners	Standard	Standard	Standard
Seatbelt Reminder	Driver	Driver	Driver
Driver & Passenger Airbags	Standard	Standard	Standard
Side-Impact Protection Bars	Standard	Standard	Standard
Collapsible Steering Column	Standard	Standard	Standard
Speed-Sensitive Door Lock	–	–	Standard
Park Distance Control (PDC)	–	–	Rear
Warning Triangle Kit	Standard	Standard	Standard
SECURITY FEATURES			
Remote-Controlled Central Locking	Standard	Standard	Standard
Remote Keyless Entry	Standard	Standard	Standard
Anti-Theft Alarm System	Standard	Standard	Standard
Ultrasonic Alarm System	–	–	Standard
Transponder Immobiliser System	Standard	Standard	Standard

300 LX [1]	300 LX	300 LX [1]	300 LX	300 LX [1]
4X2 M/T	**4X2 A/T**	**4X2 A/T**	**4X4 M/T**	**4X4 M/T**
3 095	3 095	3 095	3 095	3 095
1 570 / 1 570	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570
1 301	1 301	1 301	1 301	1 301
220	220	220	220	220
1 795	1 795	1 795	1 795	1 795
1 535	1 535	1 535	1 535	1 535
470	470	470	470	470
30.0	30.0	30.0	30.0	30.0
22.7	22.7	22.7	22.7	22.7
22.4	22.4	22.4	22.4	22.4
600	600	600	600	600
1 350	1 350	1 350	1 350	1 350
1 870	1 870	1 870	1 870	1 870
3 100	3 100	3 100	3 100	3 100
6 000	6 000	6 000	6 000	6 000
TBD	1 900	TBD	1 975	TBD
TBD	1 141	TBD	1 066	TBD
750	750	750	750	750
3 500	3 500	3 500	3 500	3 500
80	80	80	80	80
4	4	4	4	4
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Driver	Driver	Driver	Driver	Driver
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Rear	Rear	Rear	Rear	Rear
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard

D-MAX	250 HO HI–RIDE	250 HO HI–RIDE	300 LX
EXTENDED CAB	**4X2 M/T**	**4X2 A/T**	**4X2 M/T**
INTERIOR / EXTERIOR LIGHTING			
Front Reading Lamps	–	–	Standard
Interior Courtesy Lamps	Standard	Standard	Standard
Illuminated Entry	Standard	Standard	Standard
Front Fog Lights	–	–	Standard
Daytime Running Lights (DRL)	–	–	LED
Headlights	Halogen	Halogen	Bi-LED
Headlight Levelling	–	–	Manual
Headlights 'ON' Warning Buzzer	Standard	Standard	Standard
Side Indicator Lights on Doors	Standard	Standard	–
Rear Taillights – Combination	Bulb	Bulb	LED
High-Mounted Centre Stoplight	Standard	Standard	Standard
EXTERIOR FEATURES			
Wipers	Intermittent	Intermittent	Variable Intermittent
Radiator Grille – Colour	Grey	Grey	Chrome
Front Bumper – Colour	Body Colour	Body Colour	Body Colour
Front Fog Lamp Bezels	–	–	Chrome
Rear Bumper – Colour	Black	Black	Chrome
Towbar	Optional (2.1 T)	Optional (2.1 T)	Optional (3.5 T)
Exterior Door Handles – Colour	Black	Black	Chrome
Exterior Mirrors	Black – Power Adjustment	Black – Power Adjustment	Chrome – Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical
B-Pillar Blackout	–	–	Standard
Side-Steps	–	–	Standard – Black
Mudflaps	Front & Rear	Front & Rear	Front & Rear
Tailgate Handle	Black	Black	Chrome
INTERIOR FEATURES			
Power-Assisted Steering (PAS)	Hydraulic	Hydraulic	Hydraulic
Air-Conditioner	Manual	Manual	Manual
Pollen Filter	Standard	Standard	Standard
Inside Rear-View Mirror	Day / Night	Day / Night	Day / Night
Sunvisors	Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror
Overhead Console with Map Lamps (x 2) and Sunglasses Holder	–	–	Standard
Digital Clock	Standard	Standard	–
Cruise Control	–	–	Standard
Multi-Information Display (MID)	–	–	Standard
Dashboard Illumination Control	Standard	Standard	Standard
Auxiliary 12-V Power Socket	1	1	1
Cigarette Lighter without Illumination	Standard	Standard	Standard
Lockable Glove Box	Standard	Standard	Standard
Utility Box on Glove Box	Standard	Standard	Standard with Soft-Touch Finish and Gloss Black Garnish Trim
Steering Column Adjustment	Tilt	Tilt	Tilt
Steering Wheel Material	Urethane	Urethane	Partial Leather

300 LX [1]	300 LX	300 LX [1]	300 LX	300 LX [1]
4X2 M/T	**4X2 A/T**	**4X2 A/T**	**4X4 M/T**	**4X4 M/T**
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
LED	LED	LED	LED	LED
Bi-LED	Bi-LED	Bi-LED	Bi-LED	Bi-LED
Manual	Manual	Manual	Manual	Manual
Standard	Standard	Standard	Standard	Standard
–	–	–	–	–
LED	LED	LED	LED	LED
Standard	Standard	Standard	Standard	Standard
Variable Intermittent	Variable Intermittent	Variable Intermittent	Variable Intermittent	Variable Intermittent
Chrome	Chrome	Chrome	Chrome	Chrome
Body Colour	Body Colour	Body Colour	Body Colour	Body Colour
Chrome	Chrome	Chrome	Chrome	Chrome
Chrome	Chrome	Chrome	Chrome	Chrome
Optional (3.5 T)	Optional (3.5 T)	Optional (3.5 T)	Optional (3.5 T)	Optional (3.5 T)
Chrome	Chrome	Chrome	Chrome	Chrome
Chrome – Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical	Chrome – Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical	Chrome – Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical	Chrome – Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical	Chrome – Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical
Standard	Standard	Standard	Standard	Standard
Standard – Black	Standard – Black	Standard – Black	Standard – Black	Standard – Black
Front & Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear
Chrome	Chrome	Chrome	Chrome	Chrome
Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Manual	Manual	Manual	Manual	Manual
Standard	Standard	Standard	Standard	Standard
Day / Night	Day / Night	Day / Night	Day / Night	Day / Night
Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror
Standard	Standard	Standard	Standard	Standard
–	–	–	–	–
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
1	1	1	1	1
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard with Soft-Touch Finish and Gloss Black Garnish Trim	Standard with Soft-Touch Finish and Gloss Black Garnish Trim	Standard with Soft-Touch Finish and Gloss Black Garnish Trim	Standard with Soft-Touch Finish and Gloss Black Garnish Trim	Standard with Soft-Touch Finish and Gloss Black Garnish Trim
Tilt	Tilt	Tilt	Tilt	Tilt
Partial Leather	Partial Leather	Partial Leather	Partial Leather	Partial Leather

D-MAX	250 HO HI-RIDE	250 HO HI-RIDE	300 LX
EXTENDED CAB	**4X2 M/T**	**4X2 A/T**	**4X2 M/T**
INTERIOR FEATURES			
Steering Wheel Multi-Function Controls	–	–	Audio & Auto Cruise
Gearshift Trim	–	–	Urethane with Silver Garnish Trim
Front Seat Configuration	Bucket Seats (x 2)	Bucket Seats (x 2)	Bucket Seats (x 2)
Seat Trim	Cloth	Cloth	Cloth
Seat Adjustment	Driver – 6-Way Manual Adjustment	Driver – 6-Way Manual Adjustment	Driver – 6-Way Manual Adjustment
Door Trim with Storage Pockets and Integrated Cupholders	Standard	Standard	Standard
Interior Door Handles – Colour	Black	Black	Chrome
Interior Trim Colours	Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower
A-Pillar Assist Grips – Driver & Passenger	Standard	Standard	Standard
Roof-Mounted Assist Grip	Passenger	Passenger	Passenger
Floor Trim	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)
Floor Tunnel / Console with Integrated Cupholder	Standard	Standard	Standard
Centre Console Storage Box with Lid	Standard	Standard	Standard with Soft-Touch Finish
Driver Footrest	Standard	Standard	Standard
Storage Box	–	–	Standard
Window Operation	Power – Front with Driver One Touch, Jam Protection	Power – Front with Driver One Touch, Jam Protection	Power – Front with Driver One Touch, Jam Protection & Timer
Rear Window	Fixed without Defogger	Fixed without Defogger	Sliding
Fuelflap Remote	Standard	Standard	Standard
INFOTAINMENT			
Audio System	AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone
Audio Input Terminal: Auxiliary, iPod	Standard	Standard	Standard
USB Port (Music Playback and Device Link)	–	–	Front
USB Charge Ports	–	–	Front & Rear
Speakers	2	2	6
Antenna	Standard	Standard	Standard
OPTIONS			
Differential Lock	Available	Available	–
16" Alloy Wheels & 245 / 70 R16C Tyres (AT)	Available	Available	–
18" Silver Diamond-Cut Alloy Wheels & 255 / 60 R18 Tyres (AT)	Available	Available	–
Sliding Rear Window	Available	Available	–
Fixed Rear Window with Defogger	–	–	Available
Black Partial Leather Seats – Driver 6-Way Manual Adjustment	Available	Available	Available
AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone	Available	Available	–
Speakers	Available (x 4)	Available (x 4)	–
Metallic Paint	Available	Available	Available
WARRANTY & SERVICE INTERVALS			
Warranty	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km
Anti-Corrosion Warranty	3 Years / Unlimited km	3 Years / Unlimited km	3 Years / Unlimited km
Service Intervals	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km

300 LX (1)	300 LX	300 LX (1)	300 LX	300 LX (1)
4X2 M/T	**4X2 A/T**	**4X2 A/T**	**4X4 M/T**	**4X4 M/T**
Audio & Auto Cruise	Audio & Auto Cruise	Audio & Auto Cruise	Audio & Auto Cruise	Audio & Auto Cruise
Urethane with Silver Garnish Trim	Urethane with Silver Garnish Trim	Urethane with Silver Garnish Trim	Urethane with Silver Garnish Trim	Urethane with Silver Garnish Trim
Bucket Seats (x 2)	Bucket Seats (x 2)	Bucket Seats (x 2)	Bucket Seats (x 2)	Bucket Seats (x 2)
Cloth	Cloth	Cloth	Cloth	Cloth
Driver – 6-Way Manual Adjustment	Driver – 6-Way Manual Adjustment	Driver – 6-Way Manual Adjustment	Driver – 6-Way Manual Adjustment	Driver – 6-Way Manual Adjustment
Standard	Standard	Standard	Standard	Standard
Chrome	Chrome	Chrome	Chrome	Chrome
Dark Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower	Dark Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower	Dark Grey Upper / Dark Grey Lower
Standard	Standard	Standard	Standard	Standard
Passenger	Passenger	Passenger	Passenger	Passenger
Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)
Standard	Standard	Standard	Standard	Standard
Standard with Soft-Touch Finish	Standard with Soft-Touch Finish	Standard with Soft-Touch Finish	Standard with Soft-Touch Finish	Standard with Soft-Touch Finish
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Power – Front with Driver One Touch, Jam Protection & Timer	Power – Front with Driver One Touch, Jam Protection & Timer	Power – Front with Driver One Touch, Jam Protection & Timer	Power – Front with Driver One Touch, Jam Protection & Timer	Power – Front with Driver One Touch, Jam Protection & Timer
Sliding	Sliding	Sliding	Sliding	Sliding
Standard	Standard	Standard	Standard	Standard
AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone
Standard	Standard	Standard	Standard	Standard
Front	Front	Front	Front	Front
Front & Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear
6	6	6	6	6
Standard	Standard	Standard	Standard	Standard
–	–	–	–	–
–	–	–	–	–
–	–	–	–	–
–	–	–	–	–
Available	Available	Available	Available	Available
Available	Available	Available	Available	Available
–	–	–	–	–
–	–	–	–	–
Available	Available	Available	Available	Available
3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km
3 Years / Unlimited km	3 Years / Unlimited km	3 Years / Unlimited km	3 Years / Unlimited km	3 Years / Unlimited km
5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km

Double Cab Specifications

THERE'S WORK TO DO

ISUZU

With you, for the long run

D-MAX	250 HO STANDARD	250 HO STANDARD [1]	250 HO MID (AIRBAG)
DOUBLE CAB	**4X4 M/T**	**4X4 M/T**	**4X4 M/T**
ENGINE			
Displacement (cc)	2 499	2 499	2 499
No. of Cylinders	4	4	4
Compression Ratio	18.1:1	18.1:1	18.1:1
Bore X Stroke (mm)	95.4 X 87.4	95.4 X 87.4	95.4 X 87.4
No. of Valves	16	16	16
Power @ r/min (kW)	100 @ 3 400	100 @ 3 400	100 @ 3 400
Torque @ r/min (Nm)	320 @ 1 800 – 2 800	320 @ 1 800 – 2 800	320 @ 1 800 – 2 800
Turbocharger	Standard	Standard	Standard
Intercooler	Standard	Standard	Standard
FUEL CONSUMPTION			
Combined Cycle (l/100 km)	–	–	–
Combined CO_2 Emissions (g/km)	–	–	–
Fuel Type	Diesel	Diesel	Diesel
TRANSMISSION			
Transmission Type	5-Speed Manual	5-Speed Manual	5-Speed Manual
Gear Ratio: 1st	4.008	4.008	4.008
Gear Ratio: 2nd	2.301	2.301	2.301
Gear Ratio: 3rd	1.427	1.427	1.427
Gear Ratio: 4th	1.000	1.000	1.000
Gear Ratio: 5th	0.744	0.744	0.744
Gear Ratio: Reverse	3.651	3.651	3.651
4WD Selector Switch	Standard	Standard	Standard
Low Range Ratio	2.482	2.482	2.482
FRONT DIFFERENTIAL			
Shift on the Fly up to 100 km/h	Standard	Standard	Standard
Axle Ratio: Final Drive	4.100	4.100	4.100
REAR DIFFERENTIAL			
Differential Lock	Standard	Standard	Standard
Axle Ratio: Final Drive	4.100	4.100	4.100
CHASSIS DESIGN			
Front Wheel Suspension	Coil Over Shock	Coil Over Shock	Coil Over Shock
Rear Wheel Suspension	Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung
Shock Absorbers	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)
Suspension	High-Ride	High-Ride	High-Ride
Skid Plate Guard	Standard	Standard	Standard
Engine Sump Guard	Standard	Standard	Standard
Transfer Case Guard	Standard	Standard	Standard
WHEELS / TYRES			
Tyre Size	245 / 70 R16 AT	245 / 70 R16 AT	245 / 70 R16 AT
Wheel Size / Type	16" X 7.0J Alloy	16" X 7.0J Alloy	16" X 7.0J Alloy
Spare Wheel	16" X 6.5J Steel	16" X 6.5J Steel	16" X 6.5J Steel
Turning Circle: Curb-to-Curb (m)	12.8	12.8	12.8

250 HO STANDARD [1]	250 HO HI–RIDE	250 HO HI–RIDE	250 HO HI–RIDE
4X2 M/T	**4X2 M/T**	**4X2 A/T**	**4X4 M/T**
2 499	2 499	2 499	2 499
4	4	4	4
18.1:1	18.1:1	18.1:1	18.1:1
95.4 X 87.4	95.4 X 87.4	95.4 X 87.4	95.4 X 87.4
16	16	16	16
100 @ 3 400	100 @ 3 400	100 @ 3 400	100 @ 3 400
320 @ 1 800 – 2 800	320 @ 1 800 – 2 800	320 @ 1 800 – 2 800	320 @ 1 800 – 2 800
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
TBD	7.7	8.1	7.9
TBD	203	214	208
Diesel	Diesel	Diesel	Diesel
5-Speed Manual	5-Speed Manual	5-Speed Automatic	5-Speed Manual
4.008	4.008	3.520	4.008
2.301	2.301	2.042	2.301
1.427	1.427	1.400	1.427
1.000	1.000	1.000	1.000
0.744	0.744	0.716	0.744
3.651	3.651	3.224	3.651
–	–	–	Standard
–	–	–	2.482
–	–	–	Standard
–	–	–	4.100
Optional	Optional	Optional	Standard
4.100	4.100	4.100	4.100
Coil Over Shock	Coil Over Shock	Coil Over Shock	Coil Over Shock
Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung
Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)
High-Ride	High-Ride	High-Ride	High-Ride
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
–	–	–	Standard
245 / 70 R16	245 / 70 R16	245 / 70 R16	245 / 70 R16
16" X 6.5J Steel	16" X 6.5J Steel	16" X 6.5J Steel	16" X 6.5J Steel
16" X 6.5J Steel	16" X 6.5J Steel	16" X 6.5J Steel	16" X 6.5J Steel
12.8	12.8	12.8	12.8

D-MAX	250 HO STANDARD	250 HO STANDARD [1]	250 HO MID (AIRBAG)
DOUBLE CAB	**4X4 M/T**	**4X4 M/T**	**4X4 M/T**
DIMENSIONS			
Length (mm)	5 294	5 294	5 294
Width (mm)	1 860	1 860	1 860
Height (mm)	1 790	1 790	1 790
Wheelbase (mm)	3 095	3 095	3 095
Front / Rear Track (mm)	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570
Rear Overhang (mm)	1 301	1 301	1 301
Ground Clearance (mm)	225	225	225
Loadbox Length (mm)	1 485	1 485	1 485
Loadbox Width (mm)	1 535	1 535	1 535
Loadbox Depth (mm)	470	470	470
Approach Angle (°)	30.0	30.0	30.0
Departure Angle (°)	22.7	22.7	22.7
Breakover Angle (°)	22.4	22.4	22.4
Wading Depth (mm)	600	600	600
MASS / CAPACITIES			
Gross Axle Mass – Front (GA1) (kg)	1 350	1 350	1 350
Gross Axle Mass – Rear (GA2) (kg)	1 870	1 870	1 870
Gross Vehicle Mass (GVM) (kg)	2 950	2 950	2 950
Gross Combined Mass (GCM) (kg)	4 950	4 950	4 950
Tare Mass (kg)	TBD	TBD	1 905
Payload (kg)	TBD	TBD	986
Towing Capacity (kg): Unbraked Trailer	–	–	–
Towing Capacity (kg): Braked Trailer	–	–	–
Fuel Tank Capacity (Litres)	80	80	80
LOADBOX FEATURES			
Load Restraint Tiedown Brackets	4	4	4
SAFETY FEATURES			
Load-Sensing Proportioning Valve (LSPV)	Standard	Standard	–
Anti-Lock Braking System (ABS)	–	–	Standard
Electronic Brake-Force Distribution (EBD)	–	–	Standard
Brake-Assist System (BAS)	–	–	Standard
Electronic Stability Control (ESC) with Traction Control	–	–	–
Hill-Start Assist (HSA)	–	–	–
Hill Descent Control (HDC)	–	–	–
Height-Adjustable 3-Point Seatbelts	Standard	Standard	Standard
Seatbelt Pre-Tensioners	–	Standard	Standard
Fixed Rear Seatbelts (3-Point)	Standard	Standard	Standard
Seatbelt Reminder	Driver	Driver	Driver
Driver & Passenger Airbags	–	Standard	Standard
Side-Impact Protection Bars	Standard	Standard	Standard
Collapsible Steering Column	Standard	Standard	Standard
Speed-Sensitive Door Lock	–	–	Standard
ISOFIX Child Seat Attachment	–	–	–
Warning Triangle Kit	Standard	Standard	Standard

250 HO STANDARD [1]	250 HO HI-RIDE	250 HO HI-RIDE	250 HO HI-RIDE
4X2 M/T	**4X2 M/T**	**4X2 A/T**	**4X4 M/T**
5 294	5 294	5 294	5 294
1 860	1 860	1 860	1 860
1 790	1 790	1 790	1 790
3 095	3 095	3 095	3 095
1 570 / 1 570	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570
1 301	1 301	1 301	1 301
225	225	225	225
1 485	1 485	1 485	1 485
1 535	1 535	1 535	1 535
470	470	470	470
30.0	30.0	30.0	30.0
22.7	22.7	22.7	22.7
22.4	22.4	22.4	22.4
600	600	600	600
1 350	1 350	1 350	1 350
1 870	1 870	1 870	1 870
3 000	3 000	3 000	3 000
5 000	5 000	5 000	5 000
TBD	1 845	1 870	1 940
TBD	1 096	1 071	1 001
750	750	750	750
2 100	2 100	2 100	2 100
80	80	80	80
4	4	4	4
Standard	–	–	–
–	Standard	Standard	Standard
–	Standard	Standard	Standard
–	Standard	Standard	Standard
–	Standard	Standard	Standard
–	Standard	Standard	Standard
–	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Driver	Driver	Driver	Driver
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
–	–	–	–
–	Standard with Top Tether	Standard with Top Tether	Standard with Top Tether
Standard	Standard	Standard	Standard

D-MAX	250 HO STANDARD	250 HO STANDARD (1)	250 HO MID (AIRBAG)
DOUBLE CAB	**4X4 M/T**	**4X4 M/T**	**4X4 M/T**
SECURITY FEATURES			
Manual Door Locks	–	–	–
Remote-Controlled Central Locking	–	–	Standard
Remote Keyless Entry	–	–	Standard
Childsafe Rear Door Locks	Standard	Standard	Standard
Anti-Theft Alarm System	–	–	–
Transponder Immobiliser System	Standard	Standard	Standard
INTERIOR / EXTERIOR LIGHTING			
Interior Courtesy Lamps	Standard	Standard	Standard
Illuminated Entry	–	–	Standard
Front Fog Lights	Standard	Standard	Standard
Headlights	Halogen	Halogen	Halogen
Headlights 'ON' Warning Buzzer	Standard	Standard	Standard
Side Indicator Lights on Doors	Standard	Standard	Standard
Rear Taillights – Combination	Bulb	Bulb	Bulb
High-Mounted Centre Stoplight	Standard	Standard	Standard
EXTERIOR FEATURES			
Wipers	Intermittent	Intermittent	Intermittent
Radiator Grille – Colour	Grey	Grey	Grey
Front Bumper – Colour	Body Colour	Body Colour	Body Colour
Front Fog Lamp Bezels	Black	Black	Black
Rear Bumper – Colour	Black	Black	Black
Towbar	–	–	–
Exterior Door Handles – Colour	Black	Black	Black
Exterior Mirrors	Black – Power Adjustment	Black – Power Adjustment	Black – Power Adjustment
Sportbar	Optional	Optional	Optional
Side-Steps	–	–	–
Mudflaps	Front & Rear	Front & Rear	Front & Rear
Tailgate Handle	Black	Black	Black
INTERIOR FEATURES			
Power-Assisted Steering (PAS)	Hydraulic	Hydraulic	Hydraulic
Air-Conditioner	Manual	Manual	Manual
Pollen Filter	Standard	Standard	Standard
Inside Rear-View Mirror	Day / Night	Day / Night	Day / Night
Sunvisors	Driver & Passenger, Driver with Ticketholder	Driver & Passenger, Driver with Ticketholder	Driver & Passenger, Driver with Ticketholder
Digital Clock	Standard	Standard	Standard
Dashboard Illumination Control	–	–	–
Auxiliary 12-V Power Socket	1	1	1
Cigarette Lighter without Illumination	Standard	Standard	Standard
Lockable Glove Box	Standard	Standard	Standard
Utility Box on Glove Box	Standard	Standard	Standard
Steering Column Adjustment	–	–	Tilt
Steering Wheel Trim	Urethane	Urethane	Urethane
Gearshift Trim	Standard	Standard	Urethane

250 HO STANDARD [1]	250 HO HI–RIDE	250 HO HI–RIDE	250 HO HI–RIDE
4X2 M/T	**4X2 M/T**	**4X2 A/T**	**4X4 M/T**
Standard	–	–	–
–	Standard	Standard	Standard
–	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Alarm ready	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
–	–	–	–
Halogen	Halogen	Halogen	Halogen
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Bulb	Bulb	Bulb	Bulb
Standard	Standard	Standard	Standard
Intermittent	Intermittent	Intermittent	Intermittent
Grey	Grey	Grey	Grey
Black	Body Colour	Body Colour	Body Colour
–	–	–	–
–	Black	Black	Black
–	Optional (2.1 T)	Optional (2.1 T)	Optional (2.1 T)
Black	Black	Black	Black
Black – Manual Adjustment	Black – Power Adjustment	Black – Power Adjustment	Black – Power Adjustment
–	–	–	–
Standard – Black	Standard – Black	Standard – Black	Standard – Black
Front & Rear	Front & Rear	Front & Rear	Front & Rear
Black	Black	Black	Black
Hydraulic	Hydraulic	Hydraulic	Hydraulic
Manual	Manual	Manual	Manual
Standard	Standard	Standard	Standard
Day / Night	Day / Night	Day / Night	Day / Night
Driver & Passenger	Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
1	1	1	1
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Tilt	Tilt	Tilt	Tilt
Urethane	Urethane	Urethane	Urethane
Standard	Urethane	Urethane	Urethane

D-MAX	250 HO STANDARD	250 HO STANDARD [1]	250 HO MID (AIRBAG)
DOUBLE CAB	**4X4 M/T**	**4X4 M/T**	**4X4 M/T**
INTERIOR FEATURES			
Front Seat Configuration	Bucket Seats (x 2)	Bucket Seats (x 2)	Bucket Seats (x 2)
Rear Seat Configuration	60:40-Split Bench Cushion	60:40-Split Bench Cushion	60:40-Split Bench Cushion
Seat Trim	Cloth	Cloth	Cloth
Seat Adjustment	Driver – 4-Way Manual Adjustment	Driver – 4-Way Manual Adjustment	Driver – 4-Way Manual Adjustment
Storage Pockets behind Front Seats	–	–	–
Door Trim with Storage Pockets and Integrated Cupholders	Standard	Standard	Standard
Interior Door Handles – Colour	Black	Black	Black
Interior Trim Colours	Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower
A-Pillar Assist Grips – Driver & Passenger	Standard	Standard	Standard
Roof-Mounted Assist Grips	Passengers	Passengers	Passengers
Floor Trim	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)
Floor Tunnel / Console with Integrated Cupholder	Standard	Standard	Standard
Centre Console Storage Box with Lid	Standard	Standard	Standard
Driver Footrest	Standard	Standard	Standard
Rear Heater Duct	Standard	Standard	Standard
Window Operation	Power – Front & Rear with Driver One Touch, Jam Protection	Power – Front & Rear with Driver One Touch, Jam Protection	Power – Front & Rear with Driver One Touch, Jam Protection
Rear Window	Fixed without Defogger	Fixed without Defogger	Fixed with Defogger
Fuelflap Remote	Standard	Standard	Standard
INFOTAINMENT			
Audio System	Optional	Optional	Optional
Audio Input Terminal: USB, Auxiliary, iPod	–	–	–
Speakers	2	2	4
Antenna	Standard	Standard	Standard
OPTIONS			
Differential Lock	–	–	–
16" Alloy Wheels & 245 / 70 R16 Tyres (AT)	–	–	–
18" Silver Diamond-Cut Alloy Wheels & 255 / 60 R18 Tyres (AT)	–	–	Available
Sliding Rear Window	Available	Available	Available
Black Partial Leather Seats – Driver 6-Way Manual Adjustment	Available	Available	Available
AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming & Hands-Free Phone	Available	Available	Available
AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone	–	–	Available
Roof Rails – Silver	–	–	–
Roof Rails – Black	–	–	–
Metallic Paint	Available	Available	Available
Sportbar – Black	Available	Available	Available
WARRANTY & SERVICE INTERVALS			
Warranty	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km
Anti-Corrosion Warranty	3 Years / Unlimited km	3 Years / Unlimited km	3 Years / Unlimited km
Service Intervals	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km

250 HO STANDARD [1]	250 HO HI–RIDE	250 HO HI–RIDE	250 HO HI–RIDE
4X2 M/T	**4X2 M/T**	**4X2 A/T**	**4X4 M/T**
Bucket Seats (x 2)	Bucket Seats (x 2)	Bucket Seats (x 2)	Bucket Seats (x 2)
60:40-Split Bench Cushion	60:40-Split Bench Cushion	60:40-Split Bench Cushion	60:40-Split Bench Cushion
Cloth	Cloth	Cloth	Cloth
Driver – 4-Way Manual Adjustment	Driver – 6-Way Manual Adjustment	Driver – 6-Way Manual Adjustment	Driver – 6-Way Manual Adjustment
–	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Black	Black	Black	Black
Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower
Standard	Standard	Standard	Standard
Passengers	Passengers	Passengers	Passengers
Vinyl with Heel Mats (x 2)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Manual – Front & Rear	Power – Front & Rear with Driver One Touch, Jam Protection	Power – Front & Rear with Driver One Touch, Jam Protection	Power – Front & Rear with Driver One Touch, Jam Protection
Fixed without Defogger	Fixed without Defogger	Fixed without Defogger	Fixed without Defogger
Standard	Standard	Standard	Standard
AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming & Hands-Free Phone
Standard	Standard	Standard	Standard
2	6	6	6
Standard	Standard	Standard	Standard
Available	Available	Available	–
Available	Available	Available	Available
–	Available	Available	Available
Available	Available	Available	Available
–	Available	Available	Available
–	–	–	–
–	Available	Available	Available
Available	Available	Available	Available
Available	Available	Available	Available
Available	Available	Available	Available
–	–	–	–
3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km
3 Years / Unlimited km	3 Years / Unlimited km	3 Years / Unlimited km	3 Years / Unlimited km
5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km

D-MAX	250 HO X-RIDER	250 HO X-RIDER (1)	250 HO X-RIDER
DOUBLE CAB	**4X2 M/T**	**4X2 M/T**	**4X2 A/T**
ENGINE			
Displacement (cc)	2 499	2 499	2 499
No. of Cylinders	4	4	4
Compression Ratio	18.1:1	18.1:1	18.1:1
Bore X Stroke (mm)	95.4 X 87.4	95.4 X 87.4	95.4 X 87.4
No. of Valves	16	16	16
Power @ r/min (kW)	100 @ 3 400	100 @ 3 400	100 @ 3 400
Torque @ r/min (Nm)	320 @ 1 800 – 2 800	320 @ 1 800 – 2 800	320 @ 1 800 – 2 800
Turbocharger	Standard	Standard	Standard
Intercooler	Standard	Standard	Standard
FUEL CONSUMPTION			
Combined Cycle (l/100 km)	7.7	TBD	8.1
Combined CO_2 Emissions (g/km)	203	TBD	214
Fuel Type	Diesel	Diesel	Diesel
TRANSMISSION			
Transmission Type	5-Speed Manual	5-Speed Manual	5-Speed Automatic
Gear Ratio: 1st	4.008	4.008	3.520
Gear Ratio: 2nd	2.301	2.301	2.042
Gear Ratio: 3rd	1.427	1.427	1.400
Gear Ratio: 4th	1.000	1.000	1.000
Gear Ratio: 5th	0.744	0.744	0.716
Gear Ratio: Reverse	3.651	3.651	3.224
4WD Selector Switch	–	–	–
Low Range Ratio	–	–	–
FRONT DIFFERENTIAL			
Shift on the Fly up to 100 km/h	–	–	–
Axle Ratio: Final Drive	–	–	–
REAR DIFFERENTIAL			
Differential Lock	Optional	Optional	Optional
Axle Ratio: Final Drive	4.100	4.100	4.100
CHASSIS DESIGN			
Front Wheel Suspension	Coil Over Shock	Coil Over Shock	Coil Over Shock
Rear Wheel Suspension	Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung
Shock Absorbers	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)
Suspension	High-Ride	High-Ride	High-Ride
Skid Plate Guard	Standard	Standard	Standard
Engine Sump Guard	Standard	Standard	Standard
Transfer Case Guard	–	–	–
WHEELS / TYRES			
Tyre Size	255 / 60 R18	255 / 60 R18	255 / 60 R18
Wheel Size / Type	18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy
Spare Wheel	18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy
Turning Circle: Curb-to-Curb (m)	12.8	12.8	12.8
DIMENSIONS			
Length (mm)	5 294	5 294	5 294
Width (mm)	1 860	1 860	1 860

250 HO X–RIDER [1]	250 HO X–RIDER	250 HO X–RIDER [1]	250 HO LE
4X2 A/T	**4X4 M/T**	**4X4 M/T**	**4X2 A/T**
2 499	2 499	2 499	2 499
4	4	4	4
18.1:1	18.1:1	18.1:1	18.1:1
95.4 X 87.4	95.4 X 87.4	95.4 X 87.4	95.4 X 87.4
16	16	16	16
100 @ 3 400	100 @ 3 400	100 @ 3 400	100 @ 3 400
320 @ 1 800 – 2 800	320 @ 1 800 – 2 800	320 @ 1 800 – 2 800	320 @ 1 800 – 2 800
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
TBD	7.9	TBD	8.1
TBD	208	TBD	214
Diesel	Diesel	Diesel	Diesel
5-Speed Automatic	5-Speed Manual	5-Speed Manual	5-Speed Automatic
3.520	4.008	4.008	3.520
2.042	2.301	2.301	2.042
1.400	1.427	1.427	1.400
1.000	1.000	1.000	1.000
0.716	0.744	0.744	0.716
3.224	3.651	3.651	3.224
–	Standard	Standard	–
–	2.482	2.482	–
–	Standard	Standard	–
–	4.100	4.100	–
Optional	Standard	Standard	Standard
4.100	4.100	4.100	4.100
Coil Over Shock	Coil Over Shock	Coil Over Shock	Coil Over Shock
Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung
Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)
High-Ride	High-Ride	High-Ride	High-Ride
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
–	Standard	Standard	–
255 / 60 R18	255 / 60 R18	255 / 60 R18	245 / 70 R16
18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy	16" X 7J Alloy
18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy	16" X 6.5J Steel
12.8	12.8	12.8	12.8
5 294	5 294	5 294	5 294
1 860	1 860	1 860	1 860

D-MAX	250 HO X-RIDER	250 HO X-RIDER (1)	250 HO X-RIDER
DOUBLE CAB	**4X2 M/T**	**4X2 M/T**	**4X2 A/T**
DIMENSIONS			
Height (mm)	1 790	1 790	1 790
Wheelbase (mm)	3 095	3 095	3 095
Front / Rear Track (mm)	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570
Rear Overhang (mm)	1 301	1 301	1 301
Ground Clearance (mm)	225	225	225
Loadbox Length (mm)	1 485	1 485	1 485
Loadbox Width (mm)	1 535	1 535	1 535
Loadbox Depth (mm)	470	470	470
Approach Angle (°)	30.0	30.0	30.0
Departure Angle (°)	22.7	22.7	22.7
Breakover Angle (°)	22.4	22.4	22.4
Wading Depth (mm)	600	600	600
MASS / CAPACITIES			
Gross Axle Mass – Front (GA1) (kg)	1 350	1 350	1 350
Gross Axle Mass – Rear (GA2) (kg)	1 870	1 870	1 870
Gross Vehicle Mass (GVM) (kg)	3 000	3 000	3 000
Gross Combined Mass (GCM) (kg)	5 000	5 000	5 000
Tare Mass (kg)	1 920	TBD	1 945
Payload (kg)	1 021	TBD	996
Towing Capacity (kg): Unbraked Trailer	750	750	750
Towing Capacity (kg): Braked Trailer	2 100	2 100	2 100
Fuel Tank Capacity (Litres)	80	80	80
LOADBOX FEATURES			
Load Restraint Tiedown Brackets	4	4	4
SAFETY FEATURES			
Anti-Lock Braking System (ABS)	Standard	Standard	Standard
Electronic Brake-Force Distribution (EBD)	Standard	Standard	Standard
Brake-Assist System (BAS)	Standard	Standard	Standard
Electronic Stability Control (ESC) with Traction Control	Standard	Standard	Standard
Hill-Start Assist (HSA)	Standard	Standard	Standard
Hill Descent Control (HDC)	Standard	Standard	Standard
Height-Adjustable 3-Point Seatbelts	Standard	Standard	Standard
Seatbelt Pre-Tensioners	Standard	Standard	Standard
Fixed Rear Seatbelts (3-Point)	Standard	Standard	Standard
Seatbelt Reminder	Driver	Driver	Driver
Driver & Passenger Airbags	Standard	Standard	Standard
Side-Impact Protection Bars	Standard	Standard	Standard
Collapsible Steering Column	Standard	Standard	Standard
Speed-Sensitive Door Lock	–	–	–
ISOFIX Child Seat Attachment	Standard with Top Tether	Standard with Top Tether	Standard with Top Tether
Warning Triangle Kit	Standard	Standard	Standard
SECURITY FEATURES			
Remote-Controlled Central Locking	Standard	Standard	Standard
Remote Keyless Entry	Standard	Standard	Standard
Childsafe Rear Door Locks	Standard	Standard	Standard

250 HO X-RIDER [1]	250 HO X-RIDER	250 HO X-RIDER [1]	250 HO LE
4X2 A/T	**4X4 M/T**	**4X4 M/T**	**4X2 A/T**
1 790	1 790	1 790	1 790
3 095	3 095	3 095	3 095
1 570 / 1 570	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570
1 301	1 301	1 301	1 301
225	225	225	225
1 485	1 485	1 485	1 485
1 535	1 535	1 535	1 535
470	470	470	470
30.0	30.0	30.0	30.0
22.7	22.7	22.7	22.7
22.4	22.4	22.4	22.4
600	600	600	600
1 350	1 350	1 350	1 350
1 870	1 870	1 870	1 870
3 000	3 000	3 000	3 000
5 000	5 000	5 000	5 000
TBD	2 015	TBD	1 870
TBD	926	TBD	1 071
750	750	750	750
2 100	2 100	2 100	2 100
80	80	80	80
4	4	4	4
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Driver	Driver	Driver	Driver
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
–	–	–	Standard
Standard with Top Tether	Standard with Top Tether	Standard with Top Tether	Standard with Top Tether
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard

D-MAX	250 HO X-RIDER	250 HO X-RIDER (1)	250 HO X-RIDER
DOUBLE CAB	**4X2 M/T**	**4X2 M/T**	**4X2 A/T**
SECURITY FEATURES			
Anti-Theft Alarm System	Standard	Standard	Standard
Ultrasonic Alarm System	–	–	–
Transponder Immobiliser System	Standard	Standard	Standard
INTERIOR / EXTERIOR LIGHTING			
Front Reading Lamps	–	–	–
Interior Courtesy Lamps	Standard	Standard	Standard
Illuminated Entry	Standard	Standard	Standard
Front Fog Lights	Standard	Standard	Standard
Daytime Running Lights (DRL)	LED	LED	LED
Headlights	Projector	Projector	Projector
Headlights 'ON' Warning Buzzer	Standard	Standard	Standard
Side Indicator Lights on Doors	Standard	Standard	Standard
Rear Taillights – Combination	Bulb	Bulb	Bulb
High-Mounted Centre Stoplight	Standard	Standard	Standard
EXTERIOR FEATURES			
Wipers	Intermittent	Intermittent	Intermittent
Radiator Grille – Colour	Black	Black	Black
Front Bumper – Colour	Body Colour	Body Colour	Body Colour
Front Fog Lamp Bezels	Black	Black	Black
Rear Bumper – Colour	Black	Black	Black
Towbar	Standard (2.1 T)	Standard (2.1 T)	Standard (2.1 T)
Exterior Door Handles – Colour	Black	Black	Black
Exterior Mirrors	Black – Power Adjustment	Black – Power Adjustment	Black – Power Adjustment
B-Pillar Blackout	Standard	Standard	Standard
Roof Rails	–	Standard – Black	–
Sportbar	Standard – Black X-Rider	Standard – Black X-Rider	Standard – Black X-Rider
Side-Steps	Standard – Black Tubular X-Rider	Standard – Black	Standard – Black Tubular X-Rider
Mudflaps	Front & Rear	Front & Rear	Front & Rear
Tailgate Handle	Black	Black	Black
INTERIOR FEATURES			
Power-Assisted Steering (PAS)	Hydraulic	Hydraulic	Hydraulic
Air-Conditioner	Manual	Manual	Manual
Pollen Filter	Standard	Standard	Standard
Inside Rear-View Mirror	Day / Night	Day / Night	Day / Night
Sunvisors	Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror
Digital Clock	Standard	Standard	Standard
Cruise Control	–	–	–
Dashboard Illumination Control	Standard	Standard	Standard
Auxiliary 12-V Power Socket	1	1	1
Cigarette Lighter without Illumination	–	–	Standard
Lockable Glove Box	Standard	Standard	Standard
Utility Box on Glove Box	Standard	Standard	Standard
Steering Column Adjustment	Tilt	Tilt	Tilt
Steering Wheel Material	Partial Leather with Red Accent Stitching	Partial Leather with Red Accent Stitching	Partial Leather with Red Accent Stitching
Steering Wheel Multi-Function Controls	Audio	Audio	Audio

250 HO X-RIDER (1)	250 HO X-RIDER	250 HO X-RIDER (1)	250 HO LE
4X2 A/T	**4X4 M/T**	**4X4 M/T**	**4X2 A/T**
Standard	Standard	Standard	Standard
–	–	–	Standard
Standard	Standard	Standard	Standard
–	–	–	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
LED	LED	LED	–
Projector	Projector	Projector	Halogen
Standard	Standard	Standard	Standard
Standard	Standard	Standard	–
Bulb	Bulb	Bulb	Bulb
Standard	Standard	Standard	Standard
Intermittent	Intermittent	Intermittent	Intermittent
Black	Black	Black	Anthracite
Body Colour	Body Colour	Body Colour	Body Colour
Black	Black	Black	Chrome
Black	Black	Black	Black
Standard (2.1 T)	Standard (2.1 T)	Standard (2.1 T)	Optional (2.1 T)
Black	Black	Black	Body Colour
Black – Power Adjustment	Black – Power Adjustment	Black – Power Adjustment	Body Colour – Power Adjustment, Side Indicator, Driver Side Aspherical
Standard	Standard	Standard	Standard
Standard – Black	–	Standard – Black	–
Standard – Black X-Rider	Standard – Black X-Rider	Standard – Black X-Rider	–
Standard – Black	Standard – Black Tubular X-Rider	Standard – Black	Standard – Black
Front & Rear	Front & Rear	Front & Rear	Front & Rear
Black	Black	Black	Body Colour
Hydraulic	Hydraulic	Hydraulic	Hydraulic
Manual	Manual	Manual	Manual
Standard	Standard	Standard	Standard
Day / Night	Day / Night	Day / Night	Day / Night
Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror
Standard	Standard	Standard	–
–	–	–	Standard
Standard	Standard	Standard	Standard
1	1	1	1
Standard	–	–	–
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Tilt	Tilt	Tilt	Tilt
Partial Leather with Red Accent Stitching	Partial Leather with Red Accent Stitching	Partial Leather with Red Accent Stitching	Partial Leather
Audio	Audio	Audio	Audio & Auto Cruise

D-MAX	250 HO X-RIDER	250 HO X-RIDER (1)	250 HO X-RIDER
DOUBLE CAB	**4X2 M/T**	**4X2 M/T**	**4X2 A/T**
INTERIOR FEATURES			
Gearshift Trim	Urethane	Urethane	Urethane
Front Seat Configuration	Bucket Seats (x 2)	Bucket Seats (x 2)	Bucket Seats (x 2)
Rear Seat Configuration	60:40-Split Bench Cushion	60:40-Split Bench Cushion	60:40-Split Bench Cushion
Seat Trim	Partial Leather with Red Accent Stitching	Partial Leather with Red Accent Stitching	Partial Leather with Red Accent Stitching
Seat Adjustment	Driver – 6-Way Manual Adjustment	Driver – 6-Way Manual Adjustment	Driver – 6-Way Manual Adjustment
Storage Pockets behind Front Seats	Standard	Standard	Standard
Door Trim with Storage Pockets and Integrated Cupholders	Standard	Standard	Standard
Interior Door Handles – Colour	Black	Black	Black
Interior Trim Colours	Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower
A-Pillar Assist Grips – Driver & Passenger	Standard	Standard	Standard
Roof-Mounted Assist Grips	Passengers	Passengers	Passengers
Floor Trim	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)
Floor Tunnel / Console with Integrated Cupholder	Standard	Standard	Standard
Centre Console Storage Box with Lid	Standard	Standard	Standard
Driver Footrest	Standard	Standard	Standard
Rear Heater Duct	Standard	Standard	Standard
Window Operation	Power – Front & Rear with Driver One Touch, Jam Protection	Power – Front & Rear with Driver One Touch, Jam Protection	Power – Front & Rear with Driver One Touch, Jam Protection
Rear Window	Fixed without Defogger	Fixed without Defogger	Fixed without Defogger
Fuelflap Remote	Standard	Standard	Standard
INFOTAINMENT			
Audio System	AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming & Hands-Free Phone
Audio Input Terminal: USB, Auxiliary, iPod	Standard	Standard	Standard
USB Port (Music Playback & Device Link)	–	–	–
Speakers	6	6	6
Antenna	Standard	Standard	Standard
OPTIONS			
Differential Lock	Available	Available	–
18" All Black Alloy Wheels & 255 / 60 R18 Tyres (AT)	–	Available	–
18" Silver Diamond-Cut Alloy Wheels & 255 / 60 R18 Tyres (AT)	–	–	–
Sliding Rear Window	Available	Available	Available
Fixed Rear Window with Defogger	–	–	–
Black Partial Leather Seats – Driver 6-Way Manual Adjustment	–	–	–
AM/FM Radio, 8" Touchscreen, Clock, Bluetooth® – Audio Streaming & Hands-Free Phone	Available	Available	Available
Roof Rails – Silver	–	–	–
Roof Rails – Black	Available	–	Available
Metallic Paint	Switchblade Silver / Pull Me Over Red	Switchblade Silver / Pull Me Over Red	Switchblade Silver / Pull Me Over Red
WARRANTY & SERVICE INTERVALS			
Warranty	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km
Anti-Corrosion Warranty	3 Years / Unlimited km	3 Years / Unlimited km	3 Years / Unlimited km
Service Intervals	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km

250 HO X-RIDER [1]	250 HO X-RIDER	250 HO X-RIDER [1]	250 HO LE
4X2 A/T	**4X4 M/T**	**4X4 M/T**	**4X2 A/T**
Urethane	Urethane	Urethane	Urethane
Bucket Seats (x 2)	Bucket Seats (x 2)	Bucket Seats (x 2)	Bucket Seats (x 2)
60:40-Split Bench Cushion	60:40-Split Bench Cushion	60:40-Split Bench Cushion	60:40-Split Bench Cushion
Partial Leather with Red Accent Stitching	Partial Leather with Red Accent Stitching	Partial Leather with Red Accent Stitching	Cloth
Driver – 6-Way Manual Adjustment	Driver – 6-Way Manual Adjustment	Driver – 6-Way Manual Adjustment	Driver – 6-Way Manual Adjustment
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Black	Black	Black	Black
Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower
Standard	Standard	Standard	Standard
Passengers	Passengers	Passengers	Passengers
Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Power – Front & Rear with Driver One Touch, Jam Protection	Power – Front & Rear with Driver One Touch, Jam Protection	Power – Front & Rear with Driver One Touch, Jam Protection	Power – Front & Rear with Driver One Touch, Jam Protection & Timer
Fixed without Defogger	Fixed without Defogger	Fixed without Defogger	Sliding
Standard	Standard	Standard	Standard
AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone
Standard	Standard	Standard	Standard
–	–	–	Front
6	6	6	6
Standard	Standard	Standard	Standard
Available	Available	–	–
Available	–	Available	–
–	–	–	Available
Available	Available	Available	–
–	–	–	Available
–	–	–	Available
Available	Available	Available	–
–	–	–	Available
–	Available	–	Available
Switchblade Silver / Pull Me Over Red	Switchblade Silver / Pull Me Over Red	Switchblade Silver / Pull Me Over Red	Available
3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km
3 Years / Unlimited km	3 Years / Unlimited km	3 Years / Unlimited km	3 Years / Unlimited km
5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km

D-MAX	300 HI–RIDE	300 LS
DOUBLE CAB	**4X2 A/T**	**4X4 M/T**
ENGINE		
Displacement (cc)	2 999	2 999
No. of Cylinders	4	4
Compression Ratio	17.3:1	17.3:1
Bore X Stroke (mm)	95.4 X 104.9	95.4 X 104.9
No. of Valves	16	16
Power @ r/min (kW)	130 @ 3 600	120 @ 3 200
Torque @ r/min (Nm)	380 @ 1 800 – 2 800	380 @ 1 800 – 2 200
Turbocharger	Standard	Standard
Intercooler	Standard	Standard
FUEL CONSUMPTION		
Combined Cycle (l/100 km)	7.5	–
Combined CO_2 Emissions (g/km)	198	–
Fuel Type	Diesel	Diesel
TRANSMISSION		
Transmission Type	6-Speed Automatic	5-Speed Manual
Gear Ratio: 1st	3.600	4.332
Gear Ratio: 2nd	2.090	2.560
Gear Ratio: 3rd	1.488	1.492
Gear Ratio: 4th	1.000	1.000
Gear Ratio: 5th	0.678	0.791
Gear Ratio: 6th	0.580	–
Gear Ratio: Reverse	3.732	3.947
4WD Selector Switch	–	Standard
Low Range Ratio	–	2.482
FRONT DIFFERENTIAL		
Shift on the Fly up to 100 km/h	–	Standard
Axle Ratio: Final Drive	–	3.727
REAR DIFFERENTIAL		
Differential Lock	Standard	–
Axle Ratio: Final Drive	3.727	3.727
CHASSIS DESIGN		
Front Wheel Suspension	Coil Over Shock	Coil Over Shock
Rear Wheel Suspension	Leaf-Spring Overslung	Leaf-Spring Overslung
Shock Absorbers	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)
Suspension	High-Ride	High-Ride
Skid Plate Guard	Standard	Standard
Engine Sump Guard	Standard	Standard
Transfer Case Guard	–	Standard
WHEELS / TYRES		
Tyre Size	245 / 70 R16	255 / 60 R18 AT
Wheel Size / Type	16" X 6.5J Steel	18" X 7.5J Alloy
Spare Wheel	16" X 6.5J Steel	18" X 7.5J Alloy
Turning Circle: Curb-to-Curb (m)	12.8	12.8
DIMENSIONS		
Length (mm)	5 294	5 294
Width (mm)	1 860	1 860
Height (mm)	1 790	1 790

300 LS (1)	300 LS	300 LS (1)
4X4 M/T	**4X4 A/T**	**4X4 A/T**
2 999	2 999	2 999
4	4	4
17.3:1	17.3:1	17.3:1
95.4 X 104.9	95.4 X 104.9	95.4 X 104.9
16	16	16
120 @ 3 200	120 @ 3 200	120 @ 3 200
380 @ 1 800 – 2 200	380 @ 1 800 – 2 200	380 @ 1 800 – 2 200
Standard	Standard	Standard
Standard	Standard	Standard
–	–	–
–	–	–
Diesel	Diesel	Diesel
5-Speed Manual	5-Speed Automatic	5-Speed Automatic
4.332	3.520	3.520
2.560	2.042	2.042
1.492	1.400	1.400
1.000	1.000	1.000
0.791	0.716	0.716
–	–	–
3.947	3.224	3.224
Standard	Standard	Standard
2.482	2.482	2.482
Standard	Standard	Standard
3.727	3.727	3.727
–	–	–
3.727	3.727	3.727
Coil Over Shock	Coil Over Shock	Coil Over Shock
Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung
Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)
High-Ride	High-Ride	High-Ride
Standard	Standard	Standard
Standard	Standard	Standard
Standard	Standard	Standard
255 / 60 R18 AT	255 / 60 R18 AT	255 / 60 R18 AT
18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy
18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy
12.8	12.8	12.8
5 294	5 294	5 294
1 860	1 860	1 860
1 790	1 790	1 790

D-MAX	300 HI-RIDE	300 LS
DOUBLE CAB	**4X2 A/T**	**4X4 M/T**
DIMENSIONS		
Wheelbase (mm)	3 095	3 095
Front / Rear Track (mm)	1 570 / 1 570	1 570 / 1 570
Rear Overhang (mm)	1 301	1 301
Ground Clearance (mm)	225	220
Loadbox Length (mm)	1 485	1 485
Loadbox Width (mm)	1 535	1 535
Loadbox Depth (mm)	470	470
Approach Angle (°)	30.0	30.0
Departure Angle (°)	22.7	22.7
Breakover Angle (°)	22.4	22.4
Wading Depth (mm)	600	600
MASS / CAPACITIES		
Gross Axle Mass – Front (GA1) (kg)	1 350	1 350
Gross Axle Mass – Rear (GA2) (kg)	1 870	1 870
Gross Vehicle Mass (GVM) (kg)	3 100	3 000
Gross Combined Mass (GCM) (kg)	6 000	5 000
Tare Mass (kg)	1 935	1 990
Payload (kg)	1 106	951
Towing Capacity (kg): Unbraked Trailer	750	–
Towing Capacity (kg): Braked Trailer	3 500	–
Fuel Tank Capacity (Litres)	80	80
LOADBOX FEATURES		
Load Restraint Tiedown Brackets	4	4
SAFETY FEATURES		
Anti-Lock Braking System (ABS)	Standard	Standard
Electronic Brake-Force Distribution (EBD)	Standard	Standard
Brake-Assist System (BAS)	Standard	Standard
Electronic Stability Control (ESC) with Traction Control	Standard	Standard
Hill-Start Assist (HSA)	Standard	Standard
Hill Descent Control (HDC)	Standard	Standard
Trailer Sway Control	Standard	–
Brake Override System (BOS)	Standard	–
Height-Adjustable 3-Point Seatbelts	Standard	Standard
Seatbelt Pre-Tensioners	Standard	Standard
Fixed Rear Seatbelts (3-Point)	Standard	Standard
Seatbelt Reminder	Driver	Driver & Passenger
Driver & Passenger Airbags	Standard	Standard
Front Seat Side Airbags	–	Standard
Curtain Airbags	–	Standard
Side-Impact Protection Bars	Standard	Standard
Collapsible Steering Column	Standard	Standard
Speed-Sensitive Door Lock	–	Standard
ISOFIX Child Seat Attachment	Standard with Top Tether	Standard
Park Distance Control (PDC)	–	Rear
Rear-View Camera	–	Standard
Warning Triangle Kit	Standard	Standard

300 LS (1)	300 LS	300 LS (1)
4X4 M/T	4X4 A/T	4X4 A/T
3 095	3 095	3 095
1 570 / 1 570	1 570 / 1 570	1 570 / 1 570
1 301	1 301	1 301
220	220	220
1 485	1 485	1 485
1 535	1 535	1 535
470	470	470
30.0	30.0	30.0
22.7	22.7	22.7
22.4	22.4	22.4
600	600	600
1 350	1 350	1 350
1 870	1 870	1 870
3 000	3 000	3 000
5 000	5 000	5 000
TBD	2 010	TBD
TBD	931	TBD
–	–	–
–	–	–
80	80	80
4	4	4
Standard	Standard	Standard
Standard	Standard	Standard
Standard	Standard	Standard
Standard	Standard	Standard
Standard	Standard	Standard
Standard	Standard	Standard
–	–	–
–	–	–
Standard	Standard	Standard
Standard	Standard	Standard
Standard	Standard	Standard
Driver & Passenger	Driver & Passenger	Driver & Passenger
Standard	Standard	Standard
Standard	Standard	Standard
Standard	Standard	Standard
Standard	Standard	Standard
Standard	Standard	Standard
Standard	Standard	Standard
Standard	Standard	Standard
Rear	Rear	Rear
Standard	Standard	Standard
Standard	Standard	Standard

D-MAX	300 HI-RIDE	300 LS
DOUBLE CAB	**4X2 A/T**	**4X4 M/T**
SECURITY FEATURES		
Remote-Controlled Central Locking	Standard	Standard
Remote Keyless Entry	Standard	–
Passive Entry Start System (PESS)	–	Standard
Childsafe Rear Door Locks	Standard	Standard
Anti-Theft Alarm System	Standard	Standard
Transponder Immobiliser System	Standard	Standard
INTERIOR / EXTERIOR LIGHTING		
Front Reading Lamps	–	Standard
Interior Courtesy Lamps	Standard	Standard
Illuminated Entry	Standard	Standard
Front Fog Lights	–	Standard
Daytime Running Lights (DRL)	–	LED
Headlights	Halogen	Bi-LED
Headlight Levelling	–	Manual
Headlights 'ON' Warning Buzzer	Standard	Standard
Side Indicator Lights on Doors	Standard	–
Rear Taillights – Combination	Bulb	LED
High-Mounted Centre Stoplight	Standard	Standard
EXTERIOR FEATURES		
Wipers	Intermittent	Variable Intermittent
Radiator Grille – Colour	Grey	Chrome
Front Bumper – Colour	Body Colour	Body Colour
Front Fog Lamp Bezels	–	Chrome
Rear Bumper – Colour	Black	Chrome
Towbar	Optional (3.5 T)	–
Exterior Door Handles – Colour	Black	Chrome
Exterior Mirrors	Black – Power Adjustment	Chrome – Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical
B-Pillar Blackout	–	Standard
Sportbar	–	Optional
Side-Steps	Standard – Black	Standard – Black
Mudflaps	Front & Rear	Front & Rear
Tailgate Handle	Black	Chrome
INTERIOR FEATURES		
Power-Assisted Steering (PAS)	Hydraulic	Hydraulic
Air-Conditioner	Manual	Automatic
Pollen Filter	Standard	Standard
Inside Rear-View Mirror	Day / Night	Day / Night
Sunvisors	Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror
Overhead Console with Map Lamps (x 2) and Sunglasses Holder	–	Standard
Digital Clock	Standard	–
Cruise Control	–	Standard
Multi-Information Display (MID)	–	Standard
Dashboard Illumination Control	Standard	–
Auxiliary 12-V Power Socket	1	1
Cigarette Lighter without Illumination	Standard	Standard
Lockable Glove Box	Standard	Standard

300 LS (1)	300 LS	300 LS (1)
4X4 M/T	4X4 A/T	4X4 A/T
Standard	Standard	Standard
–	–	–
Standard	Standard	Standard
Standard	Standard	Standard
Standard	Standard	Standard
Standard	Standard	Standard
Standard	Standard	Standard
Standard	Standard	Standard
Standard	Standard	Standard
Standard	Standard	Standard
LED	LED	LED
Bi-LED	Bi-LED	Bi-LED
Manual	Manual	Manual
Standard	Standard	Standard
–	–	–
LED	LED	LED
Standard	Standard	Standard
Variable Intermittent	Variable Intermittent	Variable Intermittent
Chrome	Chrome	Chrome
Body Colour	Body Colour	Body Colour
Chrome	Chrome	Chrome
Chrome	Chrome	Chrome
–	–	–
Chrome	Chrome	Chrome
Chrome – Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical	Chrome – Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical	Chrome – Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical
Standard	Standard	Standard
Optional	Optional	Optional
Standard – Black	Standard – Black	Standard – Black
Front & Rear	Front & Rear	Front & Rear
Chrome	Chrome	Chrome
Hydraulic	Hydraulic	Hydraulic
Automatic	Automatic	Automatic
Standard	Standard	Standard
Day / Night	Day / Night	Day / Night
Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror
Standard	Standard	Standard
–	–	–
Standard	Standard	Standard
Standard	Standard	Standard
–	–	–
1	1	1
Standard	Standard	Standard
Standard	Standard	Standard

D-MAX	300 HI-RIDE	300 LS
DOUBLE CAB	**4X2 A/T**	**4X4 M/T**
INTERIOR FEATURES		
Utility Box on Glove Box	Standard	Standard with Soft-Touch Finish and Gloss Black Garnish Trim
Steering Column Adjustment	Tilt	Tilt
Steering Wheel Trim	Urethane	Partial Leather
Steering Wheel Multi-Function Controls	–	Audio & Auto Cruise
Gearshift Trim	Urethane	Urethane with Silver Garnish Trim
Front Seat Configuration	Bucket Seats (x 2)	Bucket Seats (x 2)
Rear Seat Configuration	60:40-Split Bench Cushion	60:40-Split Bench Cushion
Seat Trim	Cloth	Cloth
Seat Adjustment	Driver – 6-Way Manual Adjustment	Driver – 6-Way Power Adjustment
Storage Pockets behind Front Seats	Standard	Standard
Door Trim with Storage Pockets and Integrated Cupholders	Standard	Standard
Interior Door Handles – Colour	Black	Chrome
Interior Trim Colours	Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower
A-Pillar Assist Grips – Driver & Passenger	Standard	Standard
Roof-Mounted Assist Grips	Passengers	Driver & Passengers
Floor Trim	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)
Floor Tunnel / Console with Integrated Cupholder	Standard	Standard
Centre Console Storage Box with Lid	Standard	Standard with Soft-Touch Finish
Driver Footrest	Standard	Standard
Rear Heater Duct	Standard	Standard
Window Operation	Power – Front & Rear with Driver One Touch, Jam Protection	Power – Front & Rear with Driver One Touch, Jam Protection & Timer
Rear Window	Fixed without Defogger	Fixed with Defogger
Fuelflap Remote	Standard	Standard
INFOTAINMENT		
Audio System	AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone
Audio Input Terminal: USB, Auxiliary, iPod	Standard	Standard
USB Port (Music Playback and Device Link)	–	Front
USB Charge Ports	–	Front & Rear
Speakers	6	8
Antenna	Standard	Standard
OPTIONS		
16" Alloy Wheels & 245 / 70 R16 Tyres (AT)	Available	–
18" Silver Diamond-Cut Alloy Wheels & 255 / 60 R18 Tyres (AT)	Available	–
Sliding Rear Window	Available	Available
Black Partial Leather Seats – Driver 6-Way Manual Adjustment	Available	–
AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone,	Available	–
Roof Rails – Silver	Available	–
Roof Rails – Black	Available	–
Metallic Paint	Available	Available
Sportbar – Chrome	–	Available
WARRANTY & SERVICE INTERVALS		
Warranty	3 Years / 100 000 km	3 Years / 100 000 km
Anti-Corrosion Warranty	3 Years / Unlimited km	3 Years / Unlimited km
Service Intervals	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km

300 LS (1)	300 LS	300 LS (1)
4X4 M/T	**4X4 A/T**	**4X4 A/T**
Standard with Soft-Touch Finish and Gloss Black Garnish Trim	Standard with Soft-Touch Finish and Gloss Black Garnish Trim	Standard with Soft-Touch Finish and Gloss Black Garnish Trim
Tilt	Tilt	Tilt
Partial Leather	Partial Leather	Partial Leather
Audio & Auto Cruise	Audio & Auto Cruise	Audio & Auto Cruise
Urethane with Silver Garnish Trim	Urethane with Silver Garnish Trim	Urethane with Silver Garnish Trim
Bucket Seats (x 2)	Bucket Seats (x 2)	Bucket Seats (x 2)
60:40-Split Bench Cushion	60:40-Split Bench Cushion	60:40-Split Bench Cushion
Cloth	Partial Leather	Partial Leather
Driver – 6-Way Power Adjustment	Driver – 6-Way Power Adjustment	Driver – 6-Way Power Adjustment
Standard	Standard	Standard
Standard	Standard	Standard
Chrome	Chrome	Chrome
Dark Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower	Dark Grey Upper / Dark Grey Lower
Standard	Standard	Standard
Driver & Passengers	Driver & Passengers	Driver & Passengers
Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)
Standard	Standard	Standard
Standard with Soft-Touch Finish	Standard with Soft-Touch Finish	Standard with Soft-Touch Finish
Standard	Standard	Standard
Standard	Standard	Standard
Power – Front & Rear with Driver One Touch, Jam Protection & Timer	Power – Front & Rear with Driver One Touch, Jam Protection & Timer	Power – Front & Rear with Driver One Touch, Jam Protection & Timer
Fixed with Defogger	Fixed with Defogger	Fixed with Defogger
Standard	Standard	Standard
AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone
Standard	Standard	Standard
Front	Front	Front
Front & Rear	Front & Rear	Front & Rear
8	8	8
Standard	Standard	Standard
–	–	–
–	–	–
Available	Available	Available
–	–	–
–	–	–
–	–	–
–	–	–
Available	Available	Available
Available	Available	Available
3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km
3 Years / Unlimited km	3 Years / Unlimited km	3 Years / Unlimited km
5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km

D-MAX	300 LX	300 LX [1]	300 LX
DOUBLE CAB	**4X2 M/T**	**4X2 M/T**	**4X2 A/T**
ENGINE			
Displacement (cc)	2 999	2 999	2 999
No. of Cylinders	4	4	4
Compression Ratio	17.3:1	17.3:1	17.3:1
Bore X Stroke (mm)	95.4 X 104.9	95.4 X 104.9	95.4 X 104.9
No. of Valves	16	16	16
Power @ r/min (kW)	130 @ 3 600	130 @ 3 600	130 @ 3 600
Torque @ r/min (Nm)	380 @ 1 800 – 2 800	380 @ 1 800 – 2 800	380 @ 1 800 – 2 800
Turbocharger	Standard	Standard	Standard
Intercooler	Standard	Standard	Standard
FUEL CONSUMPTION			
Combined Cycle (l/100 km)	7.7	TBD	7.5
Combined CO_2 Emissions (g/km)	203	TBD	198
Fuel Type	Diesel	Diesel	Diesel
TRANSMISSION			
Transmission Type	6-Speed Manual	6-Speed Manual	6-Speed Automatic
Gear Ratio: 1st	4.942	4.942	3.600
Gear Ratio: 2nd	2.430	2.430	2.090
Gear Ratio: 3rd	1.428	1.428	1.488
Gear Ratio: 4th	1.000	1.000	1.000
Gear Ratio: 5th	0.749	0.749	0.678
Gear Ratio: 6th	0.634	0.634	0.580
Gear Ratio: Reverse	4.597	4.597	3.732
4WD Selector Switch	–	–	–
Low Range Ratio	–	–	–
FRONT DIFFERENTIAL			
Shift on the Fly up to 100 km/h	–	–	–
Axle Ratio: Final Drive	–	–	–
REAR DIFFERENTIAL			
Differential Lock	Standard	Standard	Standard
Axle Ratio: Final Drive	3.727	3.727	3.727
CHASSIS DESIGN			
Front Wheel Suspension	Coil Over Shock	Coil Over Shock	Coil Over Shock
Rear Wheel Suspension	Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung
Shock Absorbers	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)
Suspension	High-Ride	High-Ride	High-Ride
Skid Plate Guard	Standard	Standard	Standard
Engine Sump Guard	Standard	Standard	Standard
Transfer Case Guard	–	–	–
WHEELS / TYRES			
Tyre Size	255 / 60 R18	255 / 60 R18	255 / 60 R18
Wheel Size / Type	18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy
Spare Wheel	18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy
Turning Circle: Curb-to-Curb (m)	12.8	12.8	12.8
DIMENSIONS			
Length (mm)	5 294	5 294	5 294
Width (mm)	1 860	1 860	1 860
Height (mm)	1 790	1 790	1 790

300 LX (1)	300 LX	300 LX (1)	300 LX	300 LX (1)
4X2 A/T	**4X4 M/T**	**4X4 M/T**	**4X4 A/T**	**4X4 A/T**
2 999	2 999	2 999	2 999	2 999
4	4	4	4	4
17.3:1	17.3:1	17.3:1	17.3:1	17.3:1
95.4 X 104.9	95.4 X 104.9	95.4 X 104.9	95.4 X 104.9	95.4 X 104.9
16	16	16	16	16
130 @ 3 600	130 @ 3 600	130 @ 3 600	130 @ 3 600	130 @ 3 600
380 @ 1 800 – 2 800	380 @ 1 800 – 2 800	380 @ 1 800 – 2 800	380 @ 1 800 – 2 800	380 @ 1 800 – 2 800
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
TBD	8.0	TBD	7.8	TBD
TBD	211	TBD	206	TBD
Diesel	Diesel	Diesel	Diesel	Diesel
6-Speed Automatic	6-Speed Manual	6-Speed Manual	6-Speed Automatic	6-Speed Automatic
3.600	4.942	4.942	3.600	3.600
2.090	2.430	2.430	2.090	2.090
1.488	1.428	1.428	1.488	1.488
1.000	1.000	1.000	1.000	1.000
0.678	0.749	0.749	0.678	0.678
0.580	0.634	0.634	0.580	0.580
3.732	4.597	4.597	3.732	3.732
–	Standard	Standard	Standard	Standard
–	2.482	2.482	2.482	2.482
–	Standard	Standard	Standard	Standard
–	3.727	3.727	3.727	3.727
Standard	Standard	Standard	Standard	Standard
3.727	3.727	3.727	3.727	3.727
Coil Over Shock	Coil Over Shock	Coil Over Shock	Coil Over Shock	Coil Over Shock
Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung
Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)
High-Ride	High-Ride	High-Ride	High-Ride	High-Ride
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
–	Standard	Standard	Standard	Standard
255 / 60 R18	255 / 60 R18	255 / 60 R18	255 / 60 R18	255 / 60 R18
18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy
18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy
12.8	12.8	12.8	12.8	12.8
5 294	5 294	5 294	5 294	5 294
1 860	1 860	1 860	1 860	1 860
1 790	1 790	1 790	1 790	1 790

D-MAX	300 LX	300 LX [1]	300 LX
DOUBLE CAB	**4X2 M/T**	**4X2 M/T**	**4X2 A/T**
DIMENSIONS			
Wheelbase (mm)	3 095	3 095	3 095
Front / Rear Track (mm)	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570
Rear Overhang (mm)	1 301	1 301	1 301
Ground Clearance (mm)	225	225	220
Loadbox Length (mm)	1 485	1 485	1 485
Loadbox Width (mm)	1 535	1 535	1 535
Loadbox Depth (mm)	470	470	470
Approach Angle (°)	30.0	30.0	30.0
Departure Angle (°)	22.7	22.7	22.7
Breakover Angle (°)	22.4	22.4	22.4
Wading Depth (mm)	600	600	600
MASS / CAPACITIES			
Gross Axle Mass – Front (GA1) (kg)	1 350	1 350	1 350
Gross Axle Mass – Rear (GA2) (kg)	1 870	1 870	1 870
Gross Vehicle Mass (GVM) (kg)	3 100	3 100	3 100
Gross Combined Mass (GCM) (kg)	6 000	6 000	6 000
Tare Mass (kg)	1 955	TBD	1 970
Payload (kg)	1 086	TBD	1 071
Towing Capacity (kg): Unbraked Trailer	750	750	750
Towing Capacity (kg): Braked Trailer	3 500	3 500	3 500
Fuel Tank Capacity (Litres)	80	80	80
LOADBOX FEATURES			
Load Restraint Tiedown Brackets	4	4	4
SAFETY FEATURES			
Anti-Lock Braking System (ABS)	Standard	Standard	Standard
Electronic Brake-Force Distribution (EBD)	Standard	Standard	Standard
Brake-Assist System (BAS)	Standard	Standard	Standard
Electronic Stability Control (ESC) with Traction Control	Standard	Standard	Standard
Hill-Start Assist (HSA)	Standard	Standard	Standard
Hill Descent Control (HDC)	Standard	Standard	Standard
Trailer Sway Control	Standard	Standard	Standard
Brake Override System (BOS)	Standard	Standard	Standard
Height-Adjustable 3-Point Seatbelts	Standard	Standard	Standard
Seatbelt Pre-Tensioners	Standard	Standard	Standard
Fixed Rear Seatbelts (3-Point)	Standard	Standard	Standard
Seatbelt Reminder	Driver & Passenger	Driver & Passenger	Driver & Passenger
Driver & Passenger Airbags	Standard	Standard	Standard
Front Seat Side Airbags	Standard	Standard	Standard
Curtain Airbags	Standard	Standard	Standard
Side-Impact Protection Bars	Standard	Standard	Standard
Collapsible Steering Column	Standard	Standard	Standard
Speed-Sensitive Door Lock	Standard	Standard	Standard
ISOFIX Child Seat Attachment	Standard with Top Tether	Standard with Top Tether	Standard with Top Tether
Park Distance Control (PDC)	Rear	Rear	Rear
Rear-View Camera	Standard	Standard	Standard
Warning Triangle Kit	Standard	Standard	Standard

300 LX [1]	300 LX	300 LX [1]	300 LX	300 LX [1]
4X2 A/T	**4X4 M/T**	**4X4 M/T**	**4X4 A/T**	**4X4 A/T**
3 095	3 095	3 095	3 095	3 095
1 570 / 1 570	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570
1 301	1 301	1 301	1 301	1 301
220	220	220	220	220
1 485	1 485	1 485	1 485	1 485
1 535	1 535	1 535	1 535	1 535
470	470	470	470	470
30.0	30.0	30.0	30.0	30.0
22.7	22.7	22.7	22.7	22.7
22.4	22.4	22.4	22.4	22.4
600	600	600	600	600
1 350	1 350	1 350	1 350	1 350
1 870	1 870	1 870	1 870	1 870
3 100	3 100	3 100	3 100	3 100
6 000	6 000	6 000	6 000	6 000
TBD	2 080	TBD	2 095	TBD
TBD	961	TBD	946	TBD
750	750	750	750	750
3 500	3 500	3 500	3 500	3 500
80	80	80	80	80
4	4	4	4	4
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard with Top Tether	Standard with Top Tether	Standard with Top Tether	Standard with Top Tether	Standard with Top Tether
Rear	Rear	Rear	Rear	Rear
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard

D-MAX	300 LX	300 LX [1]	300 LX
DOUBLE CAB	**4X2 M/T**	**4X2 M/T**	**4X2 A/T**
SECURITY FEATURES			
Remote-Controlled Central Locking	Standard	Standard	Standard
Passive Entry Start System (PESS)	Standard	Standard	Standard
Childsafe Rear Door Locks	Standard	Standard	Standard
Anti-Theft Alarm System	Standard	Standard	Standard
Ultrasonic Alarm System	Standard	Standard	Standard
Transponder Immobiliser System	Standard	Standard	Standard
INTERIOR / EXTERIOR LIGHTING			
Front Reading Lamps	Standard	Standard	Standard
Interior Courtesy Lamps	Standard	Standard	Standard
Illuminated Entry	Standard	Standard	Standard
Front Fog Lights	Standard	Standard	Standard
Daytime Running Lights (DRL)	LED	LED	LED
Headlights	Bi-LED	Bi-LED	Bi-LED
Headlight Levelling	Manual	Manual	Manual
Headlights 'ON' Warning Buzzer	Standard	Standard	Standard
Rear Taillights – Combination	LED	LED	LED
High-Mounted Centre Stoplight	Standard	Standard	Standard
EXTERIOR FEATURES			
Wipers	Variable Intermittent	Variable Intermittent	Variable Intermittent
Radiator Grille – Colour	Chrome	Chrome	Chrome
Front Bumper – Colour	Body Colour	Body Colour	Body Colour
Front Fog Lamp Bezels	Chrome	Chrome	Chrome
Rear Bumper – Colour	Chrome	Chrome	Chrome
Towbar	Standard (3.5 T)	Standard (3.5 T)	Standard (3.5 T)
Exterior Door Handles – Colour	Chrome	Chrome	Chrome
Exterior Mirrors	Chrome – Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical	Chrome – Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical	Chrome – Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical
B-Pillar Blackout	Standard	Standard	Standard
Roof Rails	–	–	–
Sportbar	–	–	–
Side-Steps	Standard – Black	Standard – Black	Standard – Black
Mudflaps	Front & Rear	Front & Rear	Front & Rear
Tailgate Handle	Chrome	Chrome	Chrome
INTERIOR FEATURES			
Power-Assisted Steering (PAS)	Hydraulic	Hydraulic	Hydraulic
Air-Conditioner	Automatic	Automatic	Automatic
Pollen Filter	Standard	Standard	Standard
Inside Rear-View Mirror	Day / Night	Day / Night	Day / Night
Sunvisors	Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror
Overhead Console with Map Lamps (x 2) and Sunglasses Holder	Standard	Standard	Standard
Digital Clock	–	–	–
Cruise Control	Standard	Standard	Standard
Multi-Information Display (MID)	Standard	Standard	Standard
Dashboard Illumination Control	Standard	Standard	Standard
Auxiliary 12-V Power Socket	1	1	1
Cigarette Lighter without Illumination	Standard	Standard	Standard

300 LX (1)	300 LX	300 LX (1)	300 LX	300 LX (1)
4X2 A/T	**4X4 M/T**	**4X4 M/T**	**4X4 A/T**	**4X4 A/T**
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
LED	LED	LED	LED	LED
Bi-LED	Bi-LED	Bi-LED	Bi-LED	Bi-LED
Manual	Manual	Manual	Manual	Manual
Standard	Standard	Standard	Standard	Standard
LED	LED	LED	LED	LED
Standard	Standard	Standard	Standard	Standard
Variable Intermittent	Variable Intermittent	Variable Intermittent	Variable Intermittent	Variable Intermittent
Chrome	Chrome	Chrome	Chrome	Chrome
Body Colour	Body Colour	Body Colour	Body Colour	Body Colour
Chrome	Chrome	Chrome	Chrome	Chrome
Chrome	Chrome	Chrome	Chrome	Chrome
Standard (3.5 T)	Standard (3.5 T)	Standard (3.5 T)	Standard (3.5 T)	Standard (3.5 T)
Chrome	Chrome	Chrome	Chrome	Chrome
Chrome – Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical	Chrome – Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical	Chrome – Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical	Chrome – Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical	Chrome – Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical
Standard	Standard	Standard	Standard	Standard
–	Standard	Standard	Standard	Standard
–	Standard – Stainless Steel	Standard – Stainless Steel	Standard – Stainless Steel	Standard – Stainless Steel
Standard – Black	Standard – Black	Standard – Black	Standard – Black	Standard – Black
Front & Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear
Chrome	Chrome	Chrome	Chrome	Chrome
Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Automatic	Automatic	Automatic	Automatic	Automatic
Standard	Standard	Standard	Standard	Standard
Day / Night	Day / Night	Day / Night	Day / Night	Day / Night
Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror
Standard	Standard	Standard	Standard	Standard
–	–	–	–	–
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
1	1	1	1	1
Standard	Standard	Standard	Standard	Standard

D-MAX	300 LX	300 LX [1]	300 LX
DOUBLE CAB	**4X2 M/T**	**4X2 M/T**	**4X2 A/T**
INTERIOR FEATURES			
Lockable Glove Box	Standard	Standard	Standard
Utility Box on Glove Box	Standard with Soft-Touch Finish and Gloss Black Garnish Trim	Standard with Soft-Touch Finish and Gloss Black Garnish Trim	Standard with Soft-Touch Finish and Gloss Black Garnish Trim
Steering Column Adjustment	Tilt	Tilt	Tilt
Steering Wheel Trim	Partial Leather	Partial Leather	Partial Leather
Steering Wheel Multi-Function Controls	Audio & Auto Cruise	Audio & Auto Cruise	Audio & Auto Cruise
Gearshift Trim	Urethane with Silver Garnish Trim	Urethane with Silver Garnish Trim	Urethane with Silver Garnish Trim
Front Seat Configuration	Bucket Seats (x 2)	Bucket Seats (x 2)	Bucket Seats (x 2)
Rear Seat Configuration	60:40-Split Bench Cushion	60:40-Split Bench Cushion	60:40-Split Bench Cushion
Seat Trim	Cloth	Cloth	Cloth
Seat Adjustment	Driver – 6-Way Manual Adjustment	Driver – 6-Way Manual Adjustment	Driver – 6-Way Manual Adjustment
Storage Pockets behind Front Seats	Standard	Standard	Standard
Door Trim with Storage Pockets and Integrated Cupholders	Standard	Standard	Standard
Interior Door Handles – Colour	Chrome	Chrome	Chrome
Interior Trim Colours	Light Grey Upper / Dark Grey Lower	Dark Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower
A-Pillar Assist Grips – Driver & Passenger	Standard	Standard	Standard
Roof-Mounted Assist Grips	Driver & Passengers	Driver & Passengers	Driver & Passengers
Floor Trim	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)
Floor Tunnel / Console with Integrated Cupholder	Standard	Standard	Standard
Centre Console Storage Box with Lid	Standard with Soft-Touch Finish	Standard with Soft-Touch Finish	Standard with Soft-Touch Finish
Driver Footrest	Standard	Standard	Standard
Rear Heater Duct	Standard	Standard	Standard
Window Operation	Power – Front & Rear with Driver One Touch, Jam Protection & Timer	Power – Front & Rear with Driver One Touch, Jam Protection & Timer	Power – Front & Rear with Driver One Touch, Jam Protection & Timer
Rear Window	Sliding	Sliding	Sliding
Fuelflap Remote	Standard	Standard	Standard
INFOTAINMENT			
Audio System	AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone
Audio Input Terminal: USB, Auxiliary, iPod	Standard	Standard	Standard
USB Port (Music Playback and Device Link)	Front	Front	Front
USB Charge Ports	Front & Rear	Front & Rear	Front & Rear
Speakers	8	8	8
Antenna	Standard	Standard	Standard
OPTIONS			
Fixed Rear Window with Defogger	Available	Available	Available
Black Partial Leather Seats – Driver 6-Way Power Adjustment	Available	Available	Available
AM/FM Radio, 9" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone, Navigation	Available	Available	Available
Roof Rails – Silver	Available	Available	Available
Roof Rails – Black	Available	Available	Available
Metallic Paint	Available	Available	Available
WARRANTY & SERVICE INTERVALS			
Warranty	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km
Anti-Corrosion Warranty	3 Years / Unlimited km	3 Years / Unlimited km	3 Years / Unlimited km
Service Intervals	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km

300 LX (1)	300 LX	300 LX (1)	300 LX	300 LX (1)
4X2 A/T	**4X4 M/T**	**4X4 M/T**	**4X4 A/T**	**4X4 A/T**
Standard	Standard	Standard	Standard	Standard
Standard with Soft-Touch Finish and Gloss Black Garnish Trim	Standard with Soft-Touch Finish and Gloss Black Garnish Trim	Standard with Soft-Touch Finish and Gloss Black Garnish Trim	Standard with Soft-Touch Finish and Gloss Black Garnish Trim	Standard with Soft-Touch Finish and Gloss Black Garnish Trim
Tilt	Tilt	Tilt	Tilt	Tilt
Partial Leather	Partial Leather	Partial Leather	Partial Leather	Partial Leather
Audio & Auto Cruise	Audio & Auto Cruise	Audio & Auto Cruise	Audio & Auto Cruise	Audio & Auto Cruise
Urethane with Silver Garnish Trim	Urethane with Silver Garnish Trim	Urethane with Silver Garnish Trim	Urethane with Silver Garnish Trim	Urethane with Silver Garnish Trim
Bucket Seats (x 2)	Bucket Seats (x 2)	Bucket Seats (x 2)	Bucket Seats (x 2)	Bucket Seats (x 2)
60:40-Split Bench Cushion	60:40-Split Bench Cushion	60:40-Split Bench Cushion	60:40-Split Bench Cushion	60:40-Split Bench Cushion
Cloth	Partial Leather	Partial Leather	Partial Leather	Partial Leather
Driver – 6-Way Manual Adjustment	Driver – 6-Way Power Adjustment	Driver – 6-Way Power Adjustment	Driver – 6-Way Power Adjustment	Driver – 6-Way Power Adjustment
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Chrome	Chrome	Chrome	Chrome	Chrome
Dark Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower	Dark Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower	Dark Grey Upper / Dark Grey Lower
Standard	Standard	Standard	Standard	Standard
Driver & Passengers	Driver & Passengers	Driver & Passengers	Driver & Passengers	Driver & Passengers
Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)
Standard	Standard	Standard	Standard	Standard
Standard with Soft-Touch Finish	Standard with Soft-Touch Finish	Standard with Soft-Touch Finish	Standard with Soft-Touch Finish	Standard with Soft-Touch Finish
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Power – Front & Rear with Driver One Touch, Jam Protection & Timer	Power – Front & Rear with Driver One Touch, Jam Protection & Timer	Power – Front & Rear with Driver One Touch, Jam Protection & Timer	Power – Front & Rear with Driver One Touch, Jam Protection & Timer	Power – Front & Rear with Driver One Touch, Jam Protection & Timer
Sliding	Sliding	Sliding	Sliding	Sliding
Standard	Standard	Standard	Standard	Standard
AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone
Standard	Standard	Standard	Standard	Standard
Front	Front	Front	Front	Front
Front & Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear
8	8	8	8	8
Standard	Standard	Standard	Standard	Standard
Available	Available	Available	Available	Available
Available	–	–	–	–
Available	Available	Available	Available	Available
Available	–	–	–	–
Available	–	–	–	–
Available	Available	Available	Available	Available
3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km
3 Years / Unlimited km	3 Years / Unlimited km	3 Years / Unlimited km	3 Years / Unlimited km	3 Years / Unlimited km
5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km

THERE'S WORK TO DO

ISUZU

With you, for the long run

Notes:
(1) Available midyear 2020.

**The information herein is provided as a guide only. Specification is subject to change at any time.
Please contact your nearest dealer to confirm current specification.
Errors & Omissions Excepted. Model/s shown may differ. Date of issue February 2020.**